

References

Chapter 4 : The impact of birth and postnatal medical interventions on infant gut microbiota

1. 2011. ACOG Practice Bulletin No. 120: Use of prophylactic antibiotics in labor and delivery. *Obstet. Gynecol.* 117(6):1472-1483.
2. 2012. Perinatal Health Indicators for Canada 2011.
3. Adlerberth, I., H. Huang, E. Lindberg, N. Aberg, B. Hesselmar, R. Saalman, C. E. Nord, A. E. Wold, and A. Weintraub. 2014. Toxin-producing *Clostridium difficile* strains as long-term gut colonizers in healthy infants. *J. Clin. Microbiol.* 52(1):173-179.
4. Adlerberth, I., and A. E. Wold. 2009. Establishment of the gut microbiota in Western infants. *Acta Paediatr.* 98(2):229-238.
5. Al-Sahab, B., A. Lanes, M. Feldman, and H. Tamim. 2010. Prevalence and predictors of 6-month exclusive breastfeeding among Canadian women: a national survey. *BMC. Pediatr.* 10:20.
6. Aloisio, I., G. Mazzola, L. T. Corvaglia, G. Tonti, G. Faldella, B. Biavati, and G. D. Di. 2014. Influence of intrapartum antibiotic prophylaxis against group B *Streptococcus* on the early newborn gut composition and evaluation of the anti-*Streptococcus* activity of *Bifidobacterium* strains. *Appl. Microbiol. Biotechnol.* 98(13):6051-6060.
7. Althabe, F., and J. M. Belizan. 2006. Caesarean section: the paradox. *Lancet* 368(9546):1472-1473.
8. Arbolea, S., B. Sanchez, C. Milani, S. Duranti, G. Solis, N. Fernandez, de los Reyes -Gavilan CG, M. Ventura, A. Margolles, and M. Gueimonde. 2015. Intestinal microbiota development in preterm neonates and effect of perinatal antibiotics. *J. Pediatr.* 166(3):538-544.
9. Armson, B. A. 2007. Is planned cesarean childbirth a safe alternative? *CMAJ.* 176(4):475-476.
10. Azad, M. B., S. Bridgman, A. B. Becker, and A. L. Kozyrskyj. 2014. Infant antibiotic exposure and the development of childhood overweight and central adiposity. *Int. J. Obes. (Lond)* 38(10):1290-1298.
11. Azad, M. B., T. Konya, D. S. Guttman, C. J. Field, M. R. Sears, K. T. HayGlass, P. J. Mandhane, S. E. Turvey, P. Subbarao, A. B. Becker, J. A. Scott, and A. L. Kozyrskyj. 2015. Infant gut microbiota and food sensitization: associations in the first year of life. *Clin. Exp. Allergy* 45(3):632-643.
12. Azad, M. B., T. Konya, H. Maughan, D. S. Guttman, C. J. Field, M. R. Sears, A. B. Becker, J. A. Scott, and A. L. Kozyrskyj. 2013. Infant gut microbiota and the hygiene hypothesis of allergic disease: impact of household pets and siblings on microbiota composition and diversity. *Allergy Asthma Clin. Immunol.* 9(1):15.
13. Azad, M. B., T. Konya, R. R. Persaud, D. S. Guttman, R. S. Chari, C. J. Field, M. R. Sears, P. J. Mandhane, S. E. Turvey, P. Subbarao, A. B. Becker, J. A. Scott, and A. L. Kozyrskyj. 2016. Impact of maternal intrapartum antibiotics, method of birth and breastfeeding on gut microbiota during the first year of life: a prospective cohort study. *BJOG.* 123(6):983-993.
14. Backhed, F., J. Roswall, Y. Peng, Q. Feng, H. Jia, P. Kovatcheva-Datchary, Y. Li, Y. Xia, H. Xie, H. Zhong, M. T. Khan, J. Zhang, J. Li, L. Xiao, J. Al-Aama, D. Zhang, Y. S. Lee, D. Kotowska, C. Colding, V. Tremaroli, Y. Yin, S. Bergman, X. Xu, L. Madsen, K. Kristiansen, J. Dahlgren, and J. Wang. 2015. Dynamics and Stabilization of the Human Gut Microbiome during the First Year of Life. *Cell Host. Microbe* 17(6):852.
15. Bailit, J. L., T. E. Love, and B. Mercer. 2004. Rising cesarean rates: are patients sicker? *Am. J. Obstet. Gynecol.* 191(3):800-803.
16. Bennet, R., M. Eriksson, and C. E. Nord. 2002. The fecal microflora of 1-3-month-old infants during treatment with eight oral antibiotics. *Infection* 30(3):158-160.
17. Betran, A. P., J. Ye, A. B. Moller, J. Zhang, A. M. Gulmezoglu, and M. R. Torloni. 2016. The Increasing Trend in Caesarean Section Rates: Global, Regional and National Estimates: 1990-2014. *PLoS. One.* 11(2):e0148343.
18. Bridgman, S. L., T. Konya, M. B. Azad, D. S. Guttman, M. R. Sears, A. B. Becker, S. E. Turvey, P. J. Mandhane, P. Subbarao, J. A. Scott, C. J. Field, and A. L. Kozyrskyj. 2016. High fecal IgA is associated with reduced *Clostridium difficile* colonization in infants. *Microbes. Infect.*
19. Brown, A., and S. Jordan. 2013. Impact of birth complications on breastfeeding duration: an internet survey. *J Adv. Nurs.* 69(4):828-839.
20. Chalmers, B., C. Levitt, M. Heaman, B. O'Brien, R. Sauve, and J. Kaczorowski. 2009. Breastfeeding rates and hospital breastfeeding practices in Canada: a national survey of women. *Birth* 36(2):122-132.
21. Corvaglia, L., G. Tonti, S. Martini, A. Aceti, G. Mazzola, I. Aloisio, G. D. Di, and G. Faldella. 2016. Influence of Intrapartum Antibiotic Prophylaxis for Group B *Streptococcus* on Gut Microbiota in the First Month of Life. *J. Pediatr. Gastroenterol. Nutr.* 62(2):304-308.

22. Cox, L. M., S. Yamanishi, J. Sohn, A. V. Alekseyenko, J. M. Leung, I. Cho, S. G. Kim, H. Li, Z. Gao, D. Mahana, J. G. Zarate Rodriguez, A. B. Rogers, N. Robine, P. Loke, and M. J. Blaser. 2014. Altering the Intestinal Microbiota during a Critical Developmental Window Has Lasting Metabolic Consequences. *Cell* 158(4):705-721.
23. Didier, C., M. P. Streicher, D. Chognot, R. Campagni, A. Schnebelen, J. Messer, L. Donato, B. Langer, N. Meyer, D. Astruc, and P. Kuhn. 2012. Late-onset neonatal infections: incidences and pathogens in the era of antenatal antibiotics. *Eur. J Pediatr.* 171(4):681-687.
24. DiGiulio, D. B. 2012. Diversity of microbes in amniotic fluid. *Semin. Fetal Neonatal Med* 17(1):2-11.
25. Dogra, S., O. Sakwinska, S. E. Soh, C. Ngom-Bru, W. M. Bruck, B. Berger, H. Brussow, Y. S. Lee, F. Yap, Y. S. Chong, K. M. Godfrey, and J. D. Holbrook. 2015. Dynamics of infant gut microbiota are influenced by delivery mode and gestational duration and are associated with subsequent adiposity. *MBio.* 6(1):e02419-14.
26. Dominguez-Bello, M. G., E. K. Costello, M. Contreras, M. Magris, G. Hidalgo, N. Fierer, and R. Knight. 2010. Delivery mode shapes the acquisition and structure of the initial microbiota across multiple body habitats in newborns. *Proc. Natl. Acad. Sci. U. S. A* 107(26):11971-11975.
27. Fairlie, T., E. R. Zell, and S. Schrag. 2013. Effectiveness of intrapartum antibiotic prophylaxis for prevention of early-onset group B streptococcal disease. *Obstet. Gynecol.* 121(3):570-577.
28. Fallani, M., D. Young, J. Scott, E. Norin, S. Amarri, R. Adam, M. Aguilera, S. Khanna, A. Gil, C. A. Edwards, and J. Dore. 2010. Intestinal microbiota of 6-week-old infants across Europe: geographic influence beyond delivery mode, breast-feeding, and antibiotics. *J Pediatr. Gastroenterol. Nutr.* 51(1):77-84.
29. Fouhy, F., C. M. Guinane, S. Hussey, R. Wall, C. A. Ryan, E. M. Dempsey, B. Murphy, R. P. Ross, G. F. Fitzgerald, C. Stanton, and P. D. Cotter. 2012. High-throughput sequencing reveals the incomplete, short-term recovery of infant gut microbiota following parenteral antibiotic treatment with ampicillin and gentamicin. *Antimicrob. Agents Chemother.* 56(11):5811-5820.
30. Hesla, H. M., F. Stenius, L. Jaderlund, R. Nelson, L. Engstrand, J. Alm, and J. Dicksved. 2014. Impact Of Lifestyle On The Gut Microbiota Of Healthy Infants And Their Mothers - The Aladdin Birth Cohort. *FEMS Microbiol. Ecol.* 90(3):791-801.
31. Holmgren, C., J. R. Scott, T. F. Porter, M. S. Esplin, and T. Bardsley. 2012. Uterine rupture with attempted vaginal birth after cesarean delivery: decision-to-delivery time and neonatal outcome. *Obstet. Gynecol.* 119(4):725-731.
32. Homer, C. S., V. Scarf, C. Catling, and D. Davis. 2014. Culture-based versus risk-based screening for the prevention of group B streptococcal disease in newborns: a review of national guidelines. *Women Birth* 27(1):46-51.
33. Huang, L., Q. Chen, Y. Zhao, W. Wang, F. Fang, and Y. Bao. 2015. Is elective cesarean section associated with a higher risk of asthma? A meta-analysis. *J. Asthma* 52(1):16-25.
34. Jakobsson, H. E., T. R. Abrahamsson, M. C. Jenmalm, K. Harris, C. Quince, C. Jernberg, B. Bjorksten, L. Engstrand, and A. F. Andersson. 2013. Decreased gut microbiota diversity, delayed Bacteroidetes colonisation and reduced Th1 responses in infants delivered by Caesarean section. *Gut* 63(4):559-566.
35. Johri, A. K., L. C. Paoletti, P. Glaser, M. Dua, P. K. Sharma, G. Grandi, and R. Rappuoli. 2006. Group B Streptococcus: global incidence and vaccine development. *Nat. Rev. Microbiol.* 4(12):932-942.
36. Karlstrom, A., H. Lindgren, and I. Hildingsson. 2013. Maternal and infant outcome after caesarean section without recorded medical indication: findings from a Swedish case-control study. *BJOG.* 120(4):479-486.
37. Li, H. T., Y. B. Zhou, and J. M. Liu. 2013. The impact of cesarean section on offspring overweight and obesity: a systematic review and meta-analysis. *Int. J. Obes. (Lond)* 37(7):893-899.
38. Lindberg, E., I. Adlerberth, P. Matricardi, C. Bonanno, S. Tripodi, V. Panetta, B. Hesselmar, R. Saalman, N. Aberg, and A. E. Wold. 2011. Effect of lifestyle factors on Staphylococcus aureus gut colonization in Swedish and Italian infants. *Clin. Microbiol. Infect.* 17(8):1209-1215.
39. Liu, S., R. M. Liston, K. S. Joseph, M. Heaman, R. Sauve, and M. S. Kramer. 2007. Maternal mortality and severe morbidity associated with low-risk planned cesarean delivery versus planned vaginal delivery at term. *CMAJ.* 176(4):455-460.
40. MacDorman, M. F., F. Menacker, and E. Declercq. 2008. Cesarean birth in the United States: epidemiology, trends, and outcomes. *Clin Perinatol.* 35(2):293-307.
41. Madan, J. C., A. G. Hoen, S. N. Lundgren, S. F. Farzan, K. L. Cottingham, H. G. Morrison, M. L. Sogin, H. Li, J. H. Moore, and M. R. Karagas. 2016. Association of Cesarean Delivery and Formula

- Supplementation With the Intestinal Microbiome of 6-Week-Old Infants. *JAMA Pediatr.* 170(3):212-219.
42. Magnus, M. C., S. E. Haberg, H. Stigum, P. Nafstad, S. J. London, S. Vangen, and W. Nystad. 2011. Delivery by Cesarean section and early childhood respiratory symptoms and disorders: the Norwegian mother and child cohort study. *Am. J. Epidemiol.* 174(11):1275-1285.
 43. Mangin, I., A. Suau, M. Gotteland, O. Brunser, and P. Pochart. 2010. Amoxicillin treatment modifies the composition of Bifidobacterium species in infant intestinal microbiota. *Anaerobe.* 16(4):433-438.
 44. McDonald, S. D., E. Pullenayegum, B. Chapman, C. Vera, L. Giglia, C. Fusch, and G. Foster. 2012. Prevalence and predictors of exclusive breastfeeding at hospital discharge. *Obstet. Gynecol.* 119(6):1171-1179.
 45. Miesnik, S. R., and B. J. Reale. 2007. A review of issues surrounding medically elective cesarean delivery. *J Obstet. Gynecol. Neonatal Nurs.* 36(6):605-615.
 46. Opoien, H. K., A. Valbo, A. Grinde-Andersen, and M. Walberg. 2007. Post-cesarean surgical site infections according to CDC standards: rates and risk factors. A prospective cohort study. *Acta Obstet. Gynecol. Scand.* 86(9):1097-1102.
 47. Parm, U., T. Metsvaht, E. Sepp, M. L. Ilmoja, H. Pisarev, M. Pauskar, and I. Lutsar. 2010. Impact of empiric antibiotic regimen on bowel colonization in neonates with suspected early onset sepsis. *Eur. J. Clin. Microbiol. Infect. Dis.* 29(7):807-816.
 48. Penders, J., K. Gerhold, E. E. Stobberingh, C. Thijs, K. Zimmermann, S. Lau, and E. Hamelmann. 2013. Establishment of the intestinal microbiota and its role for atopic dermatitis in early childhood. *J. Allergy Clin. Immunol.* 132(3):601-607.
 49. Penders, J., I. Kummeling, and C. Thijs. 2011. Infant antibiotic use and wheeze and asthma risk: a systematic review and meta-analysis. *Eur. Respir. J.* 38(2):295-302.
 50. Penders, J., C. Thijs, P. A. van den Brandt, I. Kummeling, B. Snijders, F. Stelma, H. Adams, R. R. van, and E. E. Stobberingh. 2007. Gut microbiota composition and development of atopic manifestations in infancy: the KOALA Birth Cohort Study. *Gut* 56(5):661-667.
 51. Penders, J., C. Thijs, C. Vink, F. F. Stelma, B. Snijders, I. Kummeling, P. A. van den Brandt, and E. E. Stobberingh. 2006. Factors influencing the composition of the intestinal microbiota in early infancy. *Pediatrics* 118(2):511-521.
 52. Persaud, R. R., M. B. Azad, R. S. Chari, M. R. Sears, A. B. Becker, and A. L. Kozyrskyj. 2015. Perinatal antibiotic exposure of neonates in Canada and associated risk factors: a population-based study. *J Matern. Fetal Neonatal Med.* 28(10):1190-1195.
 53. Rousseau, C., F. Levenez, C. Fouqueray, J. Dore, A. Collignon, and P. Lepage. 2011. Clostridium difficile colonization in early infancy is accompanied by changes in intestinal microbiota composition. *J Clin Microbiol.* 49(3):858-865.
 54. Salminen, S., G. R. Gibson, A. L. McCartney, and E. Isolauri. 2004. Influence of mode of delivery on gut microbiota composition in seven year old children. *Gut* 53(9):1388-1389.
 55. Sanchez-Valverde, F., F. Gil, D. Martinez, B. Fernandez, E. Aznal, M. Oscoz, and J. E. Olivera. 2009. The impact of caesarean delivery and type of feeding on cow's milk allergy in infants and subsequent development of allergic march in childhood. *Allergy* 64(6):884-889.
 56. Savino, F., J. Roana, N. Mandras, V. Tarasco, E. Locatelli, and V. Tullio. 2011. Faecal microbiota in breast-fed infants after antibiotic therapy. *Acta Paediatr.* 100(1):75-78.
 57. Soto, A., V. Martin, E. Jimenez, I. Mader, J. M. Rodriguez, and L. Fernandez. 2014. Lactobacilli and Bifidobacteria in Human Breast Milk: Influence of Antibiotherapy and Other Host and Clinical Factors. *J Pediatr. Gastroenterol. Nutr.* 59(1):78-88.
 58. Stokholm, J., S. Schjorring, L. Pedersen, A. L. Bischoff, N. Følsgaard, C. G. Carson, B. L. Chawes, K. Bonnelykke, A. Molgaard, K. A. Krogfelt, and H. Bisgaard. 2013. Prevalence and predictors of antibiotic administration during pregnancy and birth. *PLoS. One.* 8(12):e82932.
 59. Stokholm, J., J. Thorsen, B. L. Chawes, S. Schjorring, K. A. Krogfelt, K. Bonnelykke, and H. Bisgaard. 2016. Cesarean section changes neonatal gut colonization. *J. Allergy Clin. Immunol.*
 60. Tanaka, S., T. Kobayashi, P. Songjinda, A. Tateyama, M. Tsubouchi, C. Kiyohara, T. Shirakawa, K. Sonomoto, and J. Nakayama. 2009. Influence of antibiotic exposure in the early postnatal period on the development of intestinal microbiota. *FEMS Immunol Med Microbiol.* 56(1):80-87.
 61. Tun M. 2016. Impact of early hospitalization on infant gut microbiota composition at 3-4 months. University of Alberta.
 62. Vael, C., S. L. Verhulst, V. Nelen, H. Goossens, and K. N. Desager. 2011. Intestinal microflora and body mass index during the first three years of life: an observational study. *Gut Pathog.* 3(1):8.

63. van Best, N., M. W. Hornef, P. H. Savelkoul, and J. Penders. 2015. On the origin of species: Factors shaping the establishment of infant's gut microbiota. *Birth Defects Res. C. Embryo. Today* 105(4):240-251.
64. van Nimwegen, F. A., J. Penders, E. E. Stobberingh, D. S. Postma, G. H. Koppelman, M. Kerkhof, N. E. Reijmerink, E. Dompeling, P. A. van den Brandt, I. Ferreira, M. Mommers, and C. Thijs. 2011. Mode and place of delivery, gastrointestinal microbiota, and their influence on asthma and atopy. *J Allergy Clin Immunol* 128(5):948-955.
65. van Schalkwyk, J., and E. N. Van. 2010. Antibiotic prophylaxis in obstetric procedures. *J Obstet. Gynaecol. Can.* 32(9):878-892.
66. Victora, C. G., R. Bahl, A. J. Barros, G. V. Franca, S. Horton, J. Krasevec, S. Murch, M. J. Sankar, N. Walker, and N. C. Rollins. 2016. Breastfeeding in the 21st century: epidemiology, mechanisms, and lifelong effect. *Lancet* 387(10017):475-490.
67. Weber, D. J., D. Anderson, and W. A. Rutala. 2013. The role of the surface environment in healthcare-associated infections. *Curr. Opin. Infect. Dis.* 26(4):338-344.
68. World Health Organization. 1985. Appropriate technology for birth. *Lancet* 2:436-437.

Chapter 6 : The intestinal microbiota and the child's immune system

1. Aagaard, K., Ma, J., Antony, K.M., Ganu, R., Petrosino, J. and Versalovic, J., 2014. The placenta harbors a unique microbiome. *Sci Transl Med* 6: 237ra265.
2. Abrahamsson, T.R., Jakobsson, H.E., Andersson, A.F., Björkstén, B., Engstrand, L. and Jenmalm, M.C., 2012. Low diversity of the gut microbiota in infants with atopic eczema. *J Allergy Clin Immunol* 129: 434-440, 440 e431-432.
3. Abrahamsson, T.R., Jakobsson, H.E., Andersson, A.F., Björkstén, B., Engstrand, L. and Jenmalm, M.C., 2014. Low gut microbiota diversity in early infancy precedes asthma at school age. *Clin Exp Allergy* 44: 842-850.
4. Abrahamsson, T.R., Sandberg Abenius, M., Forsberg, A., Björkstén, B. and Jenmalm, M.C., 2011. A Th1/Th2-associated chemokine imbalance during infancy in children developing eczema, wheeze and sensitization. *Clin Exp Allergy* 41: 1729-1739.
5. Abrahamsson, T.R., Sinkiewicz, G., Jakobsson, T., Fredrikson, M. and Björkstén, B., 2009. Probiotic lactobacilli in breast milk and infant stool in relation to oral intake during the first year of life. *J Pediatr Gastroenterol Nutr* 49: 349-354.
6. Abrahamsson, T.R., Wu, R.Y. and Jenmalm, M.C., 2015. Gut microbiota and allergy: the importance of the pregnancy period. *Pediatr Res* 77: 214-219.
7. Adachi, S., Yoshida, H., Kataoka, H. and Nishikawa, S., 1997. Three distinctive steps in Peyer's patch formation of murine embryo. *Int Immunol* 9: 507-514.
8. Adlerberth, I., Strachan, D.P., Matricardi, P.M., Ahrne, S., Orfei, L., Aberg, N., Perkin, M.R., Tripodi, S., Hesselmar, B., Saalman, R., Coates, A.R., Bonanno, C.L., Panetta, V. and Wold, A.E., 2007. Gut microbiota and development of atopic eczema in 3 European birth cohorts. *J Allergy Clin Immunol* 120: 343-350.
9. An, D., Oh, S.F., Olszak, T., Neves, J.F., Avci, F.Y., Erturk-Hasdemir, D., Lu, X., Zeissig, S., Blumberg, R.S. and Kasper, D.L., 2014. Sphingolipids from a symbiotic microbe regulate homeostasis of host intestinal natural killer T cells. *Cell* 156: 123-133.
10. Arpaia, N., Campbell, C., Fan, X., Dikiy, S., van der Veeken, J., Deroos, P., Liu, H., Cross, J.R., Pfeffer, K., Coffey, P.J. and Rudensky, A.Y., 2013. Metabolites produced by commensal bacteria promote peripheral regulatory T-cell generation. *Nature* 504: 451-455.
11. Arrieta, M.C., Stiemsma, L.T., Dimitriu, P.A., Thorson, L., Russell, S., Yurist-Doutsch, S., Kuzeljevic, B., Gold, M.J., Britton, H.M., Lefebvre, D.L., Subbarao, P., Mandhane, P., Becker, A., McNagny, K.M., Sears, M.R., Kollmann, T., Investigators, C.S., Mohn, W.W., Turvey, S.E. and Finlay, B.B., 2015. Early infancy microbial and metabolic alterations affect risk of childhood asthma. *Sci Transl Med* 7: 307ra152.
12. Atarashi, K., Tanoue, T., Oshima, K., Suda, W., Nagano, Y., Nishikawa, H., Fukuda, S., Saito, T., Narushima, S., Hase, K., Kim, S., Fritz, J.V., Wilmes, P., Ueha, S., Matsushima, K., Ohno, H., Ollie, B., Sakaguchi, S., Taniguchi, T., Morita, H., Hattori, M. and Honda, K., 2013. Treg induction by a rationally selected mixture of Clostridia strains from the human microbiota. *Nature* 500: 232-236.
13. Atarashi, K., Tanoue, T., Shima, T., Imaoka, A., Kuwahara, T., Momose, Y., Cheng, G., Yamasaki, S., Saito, T., Ohba, Y., Taniguchi, T., Takeda, K., Hori, S., Ivanov, I.I., Umesaki, Y., Itoh, K. and Honda, K., 2011. Induction of colonic regulatory T cells by indigenous Clostridium species. *Science* 331: 337-341.
14. Azad, M.B., Konya, T., Guttman, D.S., Field, C.J., Sears, M.R., HayGlass, K.T., Mandhane, P.J., Turvey, S.E., Subbarao, P., Becker, A.B., Scott, J.A., Kozyrskyj, A.L. and Investigators, C.S., 2015. Infant gut microbiota and food sensitization: associations in the first year of life. *Clin Exp Allergy* 45: 632-643.
15. Azad, M.B., Konya, T., Persaud, R.R., Guttman, D.S., Chari, R.S., Field, C.J., Sears, M.R., Mandhane, P.J., Turvey, S.E., Subbarao, P., Becker, A.B., Scott, J.A., Kozyrskyj, A.L. and Investigators, C.S., 2016. Impact of maternal intrapartum antibiotics, method of birth and breastfeeding on gut microbiota during the first year of life: a prospective cohort study. *BJOG* 123: 983-993.
16. Belkaid, Y. and Hand, T.W., 2014. Role of the microbiota in immunity and inflammation. *Cell* 157: 121-141.
17. Bisgaard, H., Li, N., Bonnelykke, K., Chawes, B.L., Skov, T., Paludan-Muller, G., Stokholm, J., Smith, B. and Krogfelt, K.A., 2011. Reduced diversity of the intestinal microbiota during infancy is associated with increased risk of allergic disease at school age. *J Allergy Clin Immunol* 128: 646-652 e641-645.
18. Björkstén, B., Sepp, E., Julge, K., Voor, T. and Mikelsaar, M., 2001. Allergy development and the intestinal microflora during the first year of life. *J Allergy Clin Immunol* 108: 516-520.
19. Blaser, M.J. and Falkow, S., 2009. What are the consequences of the disappearing human microbiota? *Nat Rev Microbiol* 7: 887-894.

20. Bokulich, N.A., Chung, J., Battaglia, T., Henderson, N., Jay, M., Li, H., A, D.L., Wu, F., Perez-Perez, G.I., Chen, Y., Schweizer, W., Zheng, X., Contreras, M., Dominguez-Bello, M.G. and Blaser, M.J., 2016. Antibiotics, birth mode, and diet shape microbiome maturation during early life. *Sci Transl Med* 8: 343ra382.
21. Bäckhed, F., Roswall, J., Peng, Y., Feng, Q., Jia, H., Kovatcheva-Datchary, P., Li, Y., Xia, Y., Xie, H., Zhong, H., Khan, M.T., Zhang, J., Li, J., Xiao, L., Al-Aama, J., Zhang, D., Lee, Y.S., Kotowska, D., Colding, C., Tremaroli, V., Yin, Y., Bergman, S., Xu, X., Madsen, L., Kristiansen, K., Dahlgren, J. and Jun, W., 2015. Dynamics and stabilization of the human gut microbiome during the first year of life. *Cell Host Microbe* 17: 690-703.
22. Cahenzli, J., Koller, Y., Wyss, M., Geuking, M.B. and McCoy, K.D., 2013. Intestinal microbial diversity during early-life colonization shapes long-term IgE levels. *Cell Host Microbe* 14: 559-570.
23. Catassi, C., Bonucci, A., Coppa, G.V., Carlucci, A. and Giorgi, P.L., 1995. Intestinal permeability changes during the first month: effect of natural versus artificial feeding. *J Pediatr Gastroenterol Nutr* 21: 383-386.
24. Chung, H., Pamp, S.J., Hill, J.A., Surana, N.K., Edelman, S.M., Troy, E.B., Reading, N.C., Villablanca, E.J., Wang, S., Mora, J.R., Umesaki, Y., Mathis, D., Benoist, C., Relman, D.A. and Kasper, D.L., 2012. Gut immune maturation depends on colonization with a host-specific microbiota. *Cell* 149: 1578-1593.
25. Collado, M.C., Rautava, S., Aakko, J., Isolauri, E. and Salminen, S., 2016. Human gut colonisation may be initiated in utero by distinct microbial communities in the placenta and amniotic fluid. *Sci Rep* 6: 23129.
26. Costello, E.K., Stagaman, K., Dethlefsen, L., Bohannan, B.J. and Relman, D.A., 2012. The application of ecological theory toward an understanding of the human microbiome. *Science* 336: 1255-1262.
27. Cupedo, T., Lund, F.E., Ngo, V.N., Randall, T.D., Jansen, W., Greuter, M.J., de Waal-Malefyt, R., Kraal, G., Cyster, J.G. and Mebius, R.E., 2004. Initiation of cellular organization in lymph nodes is regulated by non-B cell-derived signals and is not dependent on CXC chemokine ligand 13. *J Immunol* 173: 4889-4896.
28. Cupedo, T., Nagasawa, M., Weijer, K., Blom, B. and Spits, H., 2005. Development and activation of regulatory T cells in the human fetus. *Eur J Immunol* 35: 383-390.
29. Dogra, S., Sakwinska, O., Soh, S.E., Ngom-Bru, C., Bruck, W.M., Berger, B., Brussow, H., Lee, Y.S., Yap, F., Chong, Y.S., Godfrey, K.M., Holbrook, J.D. and Group, G.S., 2015. Dynamics of infant gut microbiota are influenced by delivery mode and gestational duration and are associated with subsequent adiposity. *MBio* 6.
30. Dominguez-Bello, M.G., De Jesus-Laboy, K.M., Shen, N., Cox, L.M., Amir, A., Gonzalez, A., Bokulich, N.A., Song, S.J., Hoashi, M., Rivera-Vinas, J.I., Mendez, K., Knight, R. and Clemente, J.C., 2016. Partial restoration of the microbiota of cesarean-born infants via vaginal microbial transfer. *Nat Med* 22: 250-253.
31. Dowling, D.J. and Levy, O., 2014. Ontogeny of early life immunity. *Trends Immunol* 35: 299-310.
32. Dzidic, M., Abrahamsson, T.R., Artacho, A., Björkstén, B., Collado, M.C., Mira, A. and Jenmalm, M.C., 2016. Aberrant IgA responses to the gut microbiota during infancy precedes asthma and allergy development. *J Allergy Clin Immunol*; In press.
33. El Aidy, S., Hooiveld, G., Tremaroli, V., Bäckhed, F. and Kleerebezem, M., 2013. The gut microbiota and mucosal homeostasis: colonized at birth or at adulthood, does it matter? *Gut Microbes* 4: 118-124.
34. Fagerås, M., Tomicic, S., Voor, T., Björkstén, B. and Jenmalm, M.C., 2011. Slow salivary secretory IgA maturation may relate to low microbial pressure and allergic symptoms in sensitized children. *Pediatr Res* 70: 572-577.
35. Faith, J.J., Ahern, P.P., Ridaura, V.K., Cheng, J. and Gordon, J.I., 2014. Identifying gut microbe-host phenotype relationships using combinatorial communities in gnotobiotic mice. *Sci Transl Med* 6: 220ra211.
36. Friedberg, S.H. and Weissman, I.L., 1974. Lymphoid tissue architecture. II. Ontogeny of peripheral T and B cells in mice: evidence against Peyer's patches as the site of generation of B cells. *J Immunol* 113: 1477-1492.
37. Fulde, M. and Hornef, M.W., 2014. Maturation of the enteric mucosal innate immune system during the postnatal period. *Immunol Rev* 260: 21-34.
38. Funkhouser, L.J. and Bordenstein, S.R., 2013. Mom knows best: the universality of maternal microbial transmission. *PLoS Biol* 11: e1001631.

39. Følsgaard, N.V., Schjorring, S., Chawes, B.L., Rasmussen, M.A., Krogfelt, K.A., Brix, S. and Bisgaard, H., 2013. Pathogenic bacteria colonizing the airways in asymptomatic neonates stimulates topical inflammatory mediator release. *Am J Respir Crit Care Med* 187: 589-595.
40. Gaboriau-Routhiau, V., Rakotobe, S., Lécuyer, E., Mulder, I., Lan, A., Bridonneau, C., Rochet, V., Pisi, A., De Paepe, M., Brandi, G., Eberl, G., Snel, J., Kelly, D. and Cerf-Bensussan, N., 2009. The key role of segmented filamentous bacteria in the coordinated maturation of gut helper T cell responses. *Immunity* 31: 677-689.
41. Gensollen, T., Iyer, S.S., Kasper, D.L. and Blumberg, R.S., 2016. How colonization by microbiota in early life shapes the immune system. *Science* 352: 539-544.
42. Geuking, M.B., Cahenzli, J., Lawson, M.A., Ng, D.C., Slack, E., Hapfelmeier, S., McCoy, K.D. and Macpherson, A.J., 2011. Intestinal bacterial colonization induces mutualistic regulatory T cell responses. *Immunity* 34: 794-806.
43. Gilbert, S.F., Bosch, T.C. and Ledon-Rettig, C., 2015. Eco-Evo-Devo: developmental symbiosis and developmental plasticity as evolutionary agents. *Nat Rev Genet* 16: 611-622.
44. Gillings, M.R., Paulsen, I.T. and Tetu, S.G., 2015. Ecology and evolution of the human microbiota: Fire, farming and antibiotics. *Genes (Basel)* 6: 841-857.
45. Gollwitzer, E.S. and Marsland, B.J., 2015. Impact of early-life exposures on immune maturation and susceptibility to disease. *Trends Immunol* 36: 684-696.
46. Gomez de Agüero, M., Ganai-Vonarburg, S.C., Fuhrer, T., Rupp, S., Uchimura, Y., Li, H., Steinert, A., Heikenwalder, M., Hapfelmeier, S., Sauer, U., McCoy, K.D. and Macpherson, A.J., 2016. The maternal microbiota drives early postnatal innate immune development. *Science* 351: 1296-1302.
47. Gosalbes, M.J., Llop, S., Valles, Y., Moya, A., Ballester, F. and Francino, M.P., 2013. Meconium microbiota types dominated by lactic acid or enteric bacteria are differentially associated with maternal eczema and respiratory problems in infants. *Clin Exp Allergy* 43: 198-211.
48. Gustafson, C.E., Higbee, D., Yeckes, A.R., Wilson, C.C., De Zoeten, E.F., Jedlicka, P. and Janoff, E.N., 2014. Limited expression of APRIL and its receptors prior to intestinal IgA plasma cell development during human infancy. *Mucosal Immunol* 7: 467-477.
49. Gutzeit, C., Magri, G. and Cerutti, A., 2014. Intestinal IgA production and its role in host-microbe interaction. *Immunol Rev* 260: 76-85.
50. Hansen, C.H., Nielsen, D.S., Kverka, M., Zakostelska, Z., Klimesova, K., Hudcovic, T., Tlaskalova-Hogenova, H. and Hansen, A.K., 2012. Patterns of early gut colonization shape future immune responses of the host. *PLoS One* 7: e34043.
51. Haynes, B.F., Martin, M.E., Kay, H.H. and Kurtzberg, J., 1988. Early events in human T cell ontogeny. Phenotypic characterization and immunohistologic localization of T cell precursors in early human fetal tissues. *J Exp Med* 168: 1061-1080.
52. Houghteling, P.D. and Walker, W.A., 2015. Why is initial bacterial colonization of the intestine important to infants' and children's health? *J Pediatr Gastroenterol Nutr* 60: 294-307.
53. Ismail, I.H., Oppedisano, F., Joseph, S.J., Boyle, R.J., Licciardi, P.V., Robins-Browne, R.M. and Tang, M.L., 2012. Reduced gut microbial diversity in early life is associated with later development of eczema but not atopy in high-risk infants. *Pediatr Allergy Immunol* 23: 674-681.
54. Ivanov, I.I., Atarashi, K., Manel, N., Brodie, E.L., Shima, T., Karaoz, U., Wei, D., Goldfarb, K.C., Santee, C.A., Lynch, S.V., Tanoue, T., Imaoka, A., Itoh, K., Takeda, K., Umesaki, Y., Honda, K. and Littman, D.R., 2009. Induction of intestinal Th17 cells by segmented filamentous bacteria. *Cell* 139: 485-498.
55. Jakobsson, H.E., Abrahamsson, T.R., Jenmalm, M.C., Harris, K., Quince, C., Jernberg, C., Björkstén, B., Engstrand, L. and Andersson, A.F., 2014. Decreased gut microbiota diversity, delayed Bacteroidetes colonisation and reduced Th1 responses in infants delivered by caesarean section. *Gut* 63: 559-566.
56. Jenmalm, M.C., 2011. Childhood immune maturation and allergy development: regulation by maternal immunity and microbial exposure. *Am J Reprod Immunol* 66 Suppl 1: 75-80.
57. Jenmalm, M.C. and Duchén, K., 2013. Timing of allergy-preventive and immunomodulatory dietary interventions - are prenatal, perinatal or postnatal strategies optimal? *Clin Exp Allergy* 43: 273-278.
58. Jimenez, E., Fernandez, L., Marin, M.L., Martin, R., Odriozola, J.M., Nueno-Palop, C., Narbad, A., Olivares, M., Xaus, J. and Rodriguez, J.M., 2005. Isolation of commensal bacteria from umbilical cord blood of healthy neonates born by cesarean section. *Curr Microbiol* 51: 270-274.
59. Jimenez, E., Marin, M.L., Martin, R., Odriozola, J.M., Olivares, M., Xaus, J., Fernandez, L. and Rodriguez, J.M., 2008. Is meconium from healthy newborns actually sterile? *Res Microbiol* 159: 187-193.

60. Jones, C.A., Vance, G.H., Power, L.L., Pender, S.L., Macdonald, T.T. and Warner, J.O., 2001. Costimulatory molecules in the developing human gastrointestinal tract: a pathway for fetal allergen priming. *J Allergy Clin Immunol* 108: 235-241.
61. Kachikis, A. and Englund, J.A., 2016. Maternal immunization: Optimizing protection for the mother and infant. *J Infect* 72 Suppl: S83-90.
62. Kai-Larsen, Y., Gudmundsson, G.H. and Agerberth, B., 2014. A review of the innate immune defence of the human foetus and newborn, with the emphasis on antimicrobial peptides. *Acta Paediatr* 103: 1000-1008.
63. Kalach, N., Rocchiccioli, F., de Boissieu, D., Benhamou, P.H. and Dupont, C., 2001. Intestinal permeability in children: variation with age and reliability in the diagnosis of cow's milk allergy. *Acta Paediatr* 90: 499-504.
64. Kalliomäki, M., Kirjavainen, P., Eerola, E., Kero, P., Salminen, S. and Isolauri, E., 2001. Distinct patterns of neonatal gut microflora in infants in whom atopy was and was not developing. *J Allergy Clin Immunol* 107: 129-134.
65. Kawamoto, S., Maruya, M., Kato, L.M., Suda, W., Atarashi, K., Doi, Y., Tsutsui, Y., Qin, H., Honda, K., Okada, T., Hattori, M. and Fagarasan, S., 2014. Foxp3(+) T cells regulate immunoglobulin A selection and facilitate diversification of bacterial species responsible for immune homeostasis. *Immunity* 41: 152-165.
66. Krumbiegel, D., Zepp, F. and Meyer, C.U., 2007. Combined Toll-like receptor agonists synergistically increase production of inflammatory cytokines in human neonatal dendritic cells. *Hum Immunol* 68: 813-822.
67. Kuhn, K.A. and Stappenbeck, T.S., 2013. Peripheral education of the immune system by the colonic microbiota. *Semin Immunol* 25: 364-369.
68. Kukkonen, K., Kuitunen, M., Haahtela, T., Korpela, R., Poussa, T. and Savilahti, E., 2010. High intestinal IgA associates with reduced risk of IgE-associated allergic diseases. *Pediatr Allergy Immunol* 21: 67-73.
69. Kuper, C.F., van Bilsen, J., Cnossen, H., Houben, G., Garthoff, J. and Wolterbeek, A., 2016. Development of immune organs and functioning in humans and test animals: Implications for immune intervention studies. *Reprod Toxicol* 64: 180-190.
70. Lécuyer, E., Rakotobe, S., Lengline-Garnier, H., Lebreton, C., Picard, M., Juste, C., Fritzen, R., Eberl, G., McCoy, K.D., Macpherson, A.J., Reynaud, C.A., Cerf-Bensussan, N. and Gaboriau-Routhiau, V., 2014. Segmented filamentous bacterium uses secondary and tertiary lymphoid tissues to induce gut IgA and specific T helper 17 cell responses. *Immunity* 40: 608-620.
71. Ley, R.E., Peterson, D.A. and Gordon, J.I., 2006. Ecological and evolutionary forces shaping microbial diversity in the human intestine. *Cell* 124: 837-848.
72. Lim, E.S., Wang, D. and Holtz, L.R., 2016. The bacterial microbiome and virome milestones of infant development. *Trends Microbiol*; In press.
73. Mastromarino, P., Capobianco, D., Micheli, A., Pratico, G., Campagna, G., Laforgia, N., Capursi, T. and Baldassarre, M.E., 2015. Administration of a multistrain probiotic product (VSL#3) to women in the perinatal period differentially affects breast milk beneficial microbiota in relation to mode of delivery. *Pharmacol Res* 95-96: 63-70.
74. Maynard, C.L., Elson, C.O., Hatton, R.D. and Weaver, C.T., 2012. Reciprocal interactions of the intestinal microbiota and immune system. *Nature* 489: 231-241.
75. Mazmanian, S.K., Liu, C.H., Tzianabos, A.O. and Kasper, D.L., 2005. An immunomodulatory molecule of symbiotic bacteria directs maturation of the host immune system. *Cell* 122: 107-118.
76. McFall-Ngai, M., 2007. Adaptive immunity: care for the community. *Nature* 445: 153.
77. McFall-Ngai, M., Hadfield, M.G., Bosch, T.C., Carey, H.V., Domazet-Loso, T., Douglas, A.E., Dubilier, N., Eberl, G., Fukami, T., Gilbert, S.F., Hentschel, U., King, N., Kjelleberg, S., Knoll, A.H., Kremer, N., Mazmanian, S.K., Metcalf, J.L., Nealson, K., Pierce, N.E., Rawls, J.F., Reid, A., Ruby, E.G., Rumpho, M., Sanders, J.G., Tautz, D. and Wernegreen, J.J., 2013. Animals in a bacterial world, a new imperative for the life sciences. *Proc Natl Acad Sci U S A* 110: 3229-3236.
78. Michaëlsson, J., Mold, J.E., McCune, J.M. and Nixon, D.F., 2006. Regulation of T cell responses in the developing human fetus. *J Immunol* 176: 5741-5748.
79. Mold, J.E. and McCune, J.M., 2012. Immunological tolerance during fetal development: from mouse to man. *Adv Immunol* 115: 73-111.
80. Mubarak, A., Ahmed, M.S., Upile, N., Vaughan, C., Xie, C., Sharma, R., Acar, P., McCormick, M.S., Paton, J.C., Mitchell, T., Cunliffe, N. and Zhang, Q., 2016. A dynamic relationship between mucosal T

- helper type 17 and regulatory T-cell populations in nasopharynx evolves with age and associates with the clearance of pneumococcal carriage in humans. *Clin Microbiol Infect* 22: 736.e731-737.
81. Obata, Y., Furusawa, Y., Endo, T.A., Sharif, J., Takahashi, D., Atarashi, K., Nakayama, M., Onawa, S., Fujimura, Y., Takahashi, M., Ikawa, T., Otsubo, T., Kawamura, Y.I., Dohi, T., Tajima, S., Masumoto, H., Ohara, O., Honda, K., Hori, S., Ohno, H., Koseki, H. and Hase, K., 2014. The epigenetic regulator Uhrf1 facilitates the proliferation and maturation of colonic regulatory T cells. *Nat Immunol* 15: 571-579.
 82. Ohnmacht, C., Park, J.H., Cording, S., Wing, J.B., Atarashi, K., Obata, Y., Gaboriau-Routhiau, V., Marques, R., Dulauroy, S., Fedoseeva, M., Busslinger, M., Cerf-Bensussan, N., Boneca, I.G., Voehringer, D., Hase, K., Honda, K., Sakaguchi, S. and Eberl, G., 2015. The microbiota regulates type 2 immunity through ROR γ mat(+) T cells. *Science* 349: 989-993.
 83. Olszak, T., An, D., Zeissig, S., Vera, M.P., Richter, J., Franke, A., Glickman, J.N., Siebert, R., Baron, R.M., Kasper, D.L. and Blumberg, R.S., 2012. Microbial exposure during early life has persistent effects on natural killer T cell function. *Science* 336: 489-493.
 84. Pabst, O., Cerovic, V. and Hornef, M., 2016. Secretory IgA in the coordination of establishment and maintenance of the microbiota. *Trends Immunol* 37: 287-296.
 85. Papiernik, M., 1970. Correlation of lymphocyte transformation and morphology in the human fetal thymus. *Blood* 36: 470-479.
 86. Penders, J., Gerhold, K., Stobberingh, E.E., Thijs, C., Zimmermann, K., Lau, S. and Hamelmann, E., 2013. Establishment of the intestinal microbiota and its role for atopic dermatitis in early childhood. *J Allergy Clin Immunol* 132: 601-607 e608.
 87. Penders, J., Stobberingh, E.E., van den Brandt, P.A. and Thijs, C., 2007. The role of the intestinal microbiota in the development of atopic disorders. *Allergy* 62: 1223-1236.
 88. Perez, P.F., Doré, J., Leclerc, M., Levenez, F., Benyacoub, J., Serrant, P., Segura-Roggero, I., Schiffrin, E.J. and Donnet-Hughes, A., 2007. Bacterial imprinting of the neonatal immune system: lessons from maternal cells? *Pediatrics* 119: e724-732.
 89. Peterson, L.W. and Artis, D., 2014. Intestinal epithelial cells: regulators of barrier function and immune homeostasis. *Nat Rev Immunol* 14: 141-153.
 90. Planer, J.D., Peng, Y., Kau, A.L., Blanton, L.V., Ndao, I.M., Tarr, P.I., Warner, B.B. and Gordon, J.I., 2016. Development of the gut microbiota and mucosal IgA responses in twins and gnotobiotic mice. *Nature* 534: 263-266.
 91. Rautava, S., Collado, M.C., Salminen, S. and Isolauri, E., 2012. Probiotics modulate host-microbe interaction in the placenta and fetal gut: a randomized, double-blind, placebo-controlled trial. *Neonatology* 102: 178-184.
 92. Rechavi, E., Lev, A., Lee, Y.N., Simon, A.J., Yinon, Y., Lipitz, S., Amariglio, N., Weisz, B., Notarangelo, L.D. and Somech, R., 2015. Timely and spatially regulated maturation of B and T cell repertoire during human fetal development. *Sci Transl Med* 7: 276ra225.
 93. Rodriguez, J.M., Murphy, K., Stanton, C., Ross, R.P., Kober, O.I., Juge, N., Avershina, E., Rudi, K., Narbad, A., Jenmalm, M.C., Marchesi, J.R. and Collado, M.C., 2015. The composition of the gut microbiota throughout life, with an emphasis on early life. *Microb Ecol Health Dis* 26: 26050.
 94. Rognum, T.O., Thrane, S., Stoltenberg, L., Vege, A. and Brandtzaeg, P., 1992. Development of intestinal mucosal immunity in fetal life and the first postnatal months. *Pediatr Res* 32: 145-149.
 95. Rokhsafat, S., Lin, A. and Comelli, E.M., 2016. Mucin-microbiota interaction during postnatal maturation of the intestinal ecosystem: clinical implications. *Dig Dis Sci* 61: 1473-1486.
 96. Rooks, M.G. and Garrett, W.S., 2016. Gut microbiota, metabolites and host immunity. *Nat Rev Immunol* 16: 341-352.
 97. Rosenberg, E. and Zilber-Rosenberg, I., 2016. Microbes drive evolution of animals and plants: the hologenome concept. *MBio* 7.
 98. Round, J.L., Lee, S.M., Li, J., Tran, G., Jabri, B., Chatila, T.A. and Mazmanian, S.K., 2011. The Toll-like receptor 2 pathway establishes colonization by a commensal of the human microbiota. *Science* 332: 974-977.
 99. Round, J.L. and Mazmanian, S.K., 2010. Inducible Foxp3+ regulatory T-cell development by a commensal bacterium of the intestinal microbiota. *Proc Natl Acad Sci U S A* 107: 12204-12209.
 100. Salminen, S., Gibson, G.R., McCartney, A.L. and Isolauri, E., 2004. Influence of mode of delivery on gut microbiota composition in seven year old children. *Gut* 53: 1388-1389.
 101. Sandin, A., Björkstén, B., Böttcher, M.F., Englund, E., Jenmalm, M.C. and Bråbäck, L., 2011. High salivary secretory IgA antibody levels are associated with less late-onset wheezing in IgE-sensitized infants. *Pediatr Allergy Immunol* 22: 477-481.

102. Satokari, R., Gronroos, T., Laitinen, K., Salminen, S. and Isolauri, E., 2009. Bifidobacterium and Lactobacillus DNA in the human placenta. *Lett Appl Microbiol* 48:8-12.
103. Schnupf, P., Gaboriau-Routhiau, V. and Cerf-Bensussan, N., 2013. Host interactions with Segmented Filamentous Bacteria: an unusual trade-off that drives the post-natal maturation of the gut immune system. *Semin Immunol* 25: 342-351.
104. Sefik, E., Geva-Zatorsky, N., Oh, S., Konnikova, L., Zemmour, D., McGuire, A.M., Burzyn, D., Ortiz-Lopez, A., Lobera, M., Yang, J., Ghosh, S., Earl, A., Snapper, S.B., Jupp, R., Kasper, D., Mathis, D. and Benoist, C., 2015. Individual intestinal symbionts induce a distinct population of RORgamma(+) regulatory T cells. *Science* 349: 993-997.
105. Segata, N., 2015. Gut microbiome: Westernization and the disappearance of intestinal diversity. *Curr Biol* 25: R611-613.
106. Sepp, E., Julge, K., Vasar, M., Naaber, P., Björkstén, B. and Mikelsaar, M., 1997. Intestinal microflora of Estonian and Swedish infants. *Acta Paediatr* 86: 956-961.
107. Sjögren, Y.M., Jenmalm, M.C., Böttcher, M.F., Björkstén, B. and Sverremark-Ekström, E., 2009a. Altered early infant gut microbiota in children developing allergy up to 5 years of age. *Clin Exp Allergy* 39: 518-526.
108. Sjögren, Y.M., Tomicic, S., Lundberg, A., Böttcher, M.F., Björkstén, B., Sverremark-Ekström, E. and Jenmalm, M.C., 2009b. Influence of early gut microbiota on the maturation of childhood mucosal and systemic immune responses. *Clin Exp Allergy* 39: 1842-1851.
109. Spencer, J., MacDonald, T.T., Finn, T. and Isaacson, P.G., 1986. The development of gut associated lymphoid tissue in the terminal ileum of fetal human intestine. *Clin Exp Immunol* 64: 536-543.
110. Stout, M.J., Conlon, B., Landeau, M., Lee, I., Bower, C., Zhao, Q., Roehl, K.A., Nelson, D.M., Macones, G.A. and Mysorekar, I.U., 2013. Identification of intracellular bacteria in the basal plate of the human placenta in term and preterm gestations. *Am J Obstet Gynecol* 208: 226 e221-227.
111. Sudo, N., Sawamura, S., Tanaka, K., Aiba, Y., Kubo, C. and Koga, Y., 1997. The requirement of intestinal bacterial flora for the development of an IgE production system fully susceptible to oral tolerance induction. *J Immunol* 159: 1739-1745.
112. Sutherland, D.B., Suzuki, K. and Fagarasan, S., 2016. Fostering of advanced mutualism with gut microbiota by Immunoglobulin A. *Immunity* 44: 20-31.
113. Tanoue, T., Atarashi, K. and Honda, K., 2016. Development and maintenance of intestinal regulatory T cells. *Nat Rev Immunol* 16: 295-309.
114. Thome, J.J., Bickham, K.L., Ohmura, Y., Kubota, M., Matsuoka, N., Gordon, C., Granot, T., Griesemer, A., Lerner, H., Kato, T. and Farber, D.L., 2016. Early-life compartmentalization of human T cell differentiation and regulatory function in mucosal and lymphoid tissues. *Nat Med* 22: 72-77.
115. Travis, J., 2009. On the origin of the immune system. *Science* 324: 580-582.
116. Ursell, L.K., Van Treuren, W., Metcalf, J.L., Pirrung, M., Gewirtz, A. and Knight, R., 2013. Replenishing our defensive microbes. *Bioessays* 35: 810-817.
117. van Nimwegen, F.A., Penders, J., Stobberingh, E.E., Postma, D.S., Koppelman, G.H., Kerkhof, M., Reijmerink, N.E., Dompeling, E., van den Brandt, P.A., Ferreira, I., Mommers, M. and Thijs, C., 2011. Mode and place of delivery, gastrointestinal microbiota, and their influence on asthma and atopy. *J Allergy Clin Immunol* 128: 948-955 e941-943.
118. von Hertzen, L., Beutler, B., Bienenstock, J., Blaser, M., Cani, P.D., Eriksson, J., Farkkila, M., Haahtela, T., Hanski, I., Jenmalm, M.C., Kere, J., Knip, M., Kontula, K., Koskenvuo, M., Ling, C., Mandrup-Poulsen, T., von Mutius, E., Makela, M.J., Paunio, T., Pershagen, G., Renz, H., Rook, G., Saarela, M., Vaarala, O., Veldhoen, M. and de Vos, W.M., 2015. Helsinki alert of biodiversity and health. *Ann Med* 47: 218-225.
119. von Mutius, E., 2016. The microbial environment and its influence on asthma prevention in early life. *J Allergy Clin Immunol* 137: 680-689.
120. Voor, T., Julge, K., Böttcher, M.F., Jenmalm, M.C., Duchén, K. and Björkstén, B., 2005. Atopic sensitization and atopic dermatitis in Estonian and Swedish infants. *Clin Exp Allergy* 35: 153-159.
121. Wesemann, D.R. and Nagler, C.R., 2016. The microbiome, timing, and barrier function in the context of allergic disease. *Immunity* 44: 728-738.
122. West, C.E., Jenmalm, M.C., Kozyrskyj, A.L. and Prescott, S.L., 2016. Probiotics for treatment and primary prevention of allergic diseases and asthma; looking back and moving forward. *Expert Rev Clin Immunol* 12: 625-639.
123. West, C.E., Jenmalm, M.C. and Prescott, S.L., 2015a. The gut microbiota and its role in the development of allergic disease: a wider perspective. *Clin Exp Allergy* 45: 43-53.

124. West, C.E., Renz, H., Jenmal, M.C., Kozyrskyj, A.L., Allen, K.J., Vuillerm, P., Prescott, S.L., in, F.M.I.G. and in, F.M.I.G., 2015b. The gut microbiota and inflammatory noncommunicable diseases: Associations and potentials for gut microbiota therapies. *J Allergy Clin Immunol* 135: 3-13.
125. White, G.P., Watt, P.M., Holt, B.J. and Holt, P.G., 2002. Differential patterns of methylation of the IFN-gamma promoter at CpG and non-CpG sites underlie differences in IFN-gamma gene expression between human neonatal and adult CD45RO- T cells. *J Immunol* 168: 2820-2827.
126. Wilson, C.B., Westall, J., Johnston, L., Lewis, D.B., Dower, S.K. and Alpert, A.R., 1986. Decreased production of interferon-gamma by human neonatal cells. Intrinsic and regulatory deficiencies. *J Clin Invest* 77: 860-867.
127. Yamamoto, M., Yamaguchi, R., Munakata, K., Takashima, K., Nishiyama, M., Hioki, K., Ohnishi, Y., Nagasaki, M., Imoto, S., Miyano, S., Ishige, A. and Watanabe, K., 2012. A microarray analysis of gnotobiotic mice indicating that microbial exposure during the neonatal period plays an essential role in immune system development. *BMC Genomics* 13: 335.
128. Yassour, M., Vatanen, T., Siljander, H., Hamalainen, A.M., Harkonen, T., Ryhanen, S.J., Franzosa, E.A., Vlamakis, H., Huttenhower, C., Gevers, D., Lander, E.S., Knip, M., Group, D.S. and Xavier, R.J., 2016. Natural history of the infant gut microbiome and impact of antibiotic treatment on bacterial strain diversity and stability. *Sci Transl Med* 8: 343ra381.
129. Zhang, X., Mozeleski, B., Lemoine, S., Deriaud, E., Lim, A., Zhivaki, D., Azria, E., Le Ray, C., Roguet, G., Launay, O., Vanet, A., Leclerc, C. and Lo-Man, R., 2014. CD4 T cells with effector memory phenotype and function develop in the sterile environment of the fetus. *Sci Transl Med* 6: 238ra272.

Chapter 9 : The role of ontestinal microbiota in infant auto-immune and allergic diseases

1. Abrahamsson, T. R., H. E. Jakobsson, A. F. Andersson, B. Björkstén, L. Engstrand, and M. C. Jenmalm. 2014. Low gut microbiota diversity in early infancy precedes asthma at school age. *Clinical & Experimental Allergy* 44 (6): 842-850. <http://dx.doi.org/10.1111/cea.12253>.
2. Adlerberth, I., and A. E. Wold. 2009. Establishment of the gut microbiota in Western infants. *Acta Paediatrica* 98 (2): 229-238. <http://dx.doi.org/10.1111/j.1651-2227.2008.01060.x>.
3. Arbolea, S., B. Sánchez, C. Milani, S. Duranti, G. Solís, N. Fernández, C. G. de los Reyes-Gavilán, et al. 2015. Intestinal Microbiota Development in Preterm Neonates and Effect of Perinatal Antibiotics. *The Journal of Pediatrics* 166 (3): 538-544. <http://dx.doi.org/10.1016/j.jpeds.2014.09.041>.
4. Arrieta, M.-C., L. T. Stiemsma, N. Amenogbe, E. M. Brown, and B. Finlay. 2014. The Intestinal Microbiome in Early Life: Health and Disease. *Front. Immunol.* 5. <http://dx.doi.org/10.3389/fimmu.2014.00427>.
5. Arrieta, M. C., L. T. Stiemsma, P. A. Dimitriu, L. Thorson, S. Russell, S. Yurist-Doutsch, B. Kuzeljevic, et al. 2015. Early infancy microbial and metabolic alterations affect risk of childhood asthma. *Science Translational Medicine* 7 (307): 307ra152-307ra152. <http://dx.doi.org/10.1126/scitranslmed.aab2271>.
6. Azad, M. B., T. Konya, H. Maughan, D. S. Guttman, C. J. Field, R. S. Chari, M. R. Sears, et al. 2013. Gut microbiota of healthy Canadian infants: profiles by mode of delivery and infant diet at 4 months. *Canadian Medical Association Journal* 185 (5): 385-394. <http://dx.doi.org/10.1503/cmaj.121189>.
7. Bach, J. F., and L. Chatenoud. 2012. The Hygiene Hypothesis: An Explanation for the Increased Frequency of Insulin-Dependent Diabetes. *Cold Spring Harbor Perspectives in Medicine* 2 (2): a007799-a007799. <http://dx.doi.org/10.1101/cshperspect.a007799>.
8. Bäckhed, F., J. Roswall, Y. Peng, Q. Feng, H. Jia, P. Kovatcheva-Datchary, Y. Li, et al. 2015. Dynamics and Stabilization of the Human Gut Microbiome during the First Year of Life. *Cell Host & Microbe* 17 (5): 690-703. <http://dx.doi.org/10.1016/j.chom.2015.04.004>.
9. Bager, P., J. Wohlfahrt, and T. Westergaard. 2008. Caesarean delivery and risk of atopy and allergic disease: meta-analyses. *Clinical & Experimental Allergy* 38 (4): 634-642. <http://dx.doi.org/10.1111/j.1365-2222.2008.02939.x>.
10. Berni Canani, R., R. Nocerino, G. Terrin, A. Coruzzo, L. Cosenza, L. Leone, and R. Troncone. 2012. Effect of Lactobacillus GG on tolerance acquisition in infants with cow's milk allergy: A randomized trial. *Journal of Allergy and Clinical Immunology* 129 (2): 580-582.e5. <http://dx.doi.org/10.1016/j.jaci.2011.10.004>.
11. Berni Canani, R., R. Nocerino, G. Terrin, T. Frediani, S. Lucarelli, L. Cosenza, A. Passariello, et al. 2013. Formula Selection for Management of Children with Cow's Milk Allergy Influences the Rate of Acquisition of Tolerance: A Prospective Multicenter Study. *The Journal of Pediatrics* 163 (3): 771-777.e1. <http://dx.doi.org/10.1016/j.jpeds.2013.03.008>.
12. Bezirtzoglou, E., A. Tsiotsias, and G. W. Welling. 2011. Microbiota profile in feces of breast- and formula-fed newborns by using fluorescence in situ hybridization (FISH). *Anaerobe* 17 (6): 478-482. <http://dx.doi.org/10.1016/j.anaerobe.2011.03.009>.
13. Bindels, L. B., N. M. Delzenne, P. D. Cani, and J. Walter. 2015. Towards a more comprehensive concept for prebiotics. *Nature Reviews Gastroenterology & Hepatology* 12 (5): 303-310. <http://dx.doi.org/10.1038/nrgastro.2015.47>.
14. Björkstén, B., E. Sepp, K. Julge, T. Voor, and M. Mikelsaar. 2001. Allergy development and the intestinal microflora during the first year of life. *Journal of Allergy and Clinical Immunology* 108 (4): 516-520. <http://dx.doi.org/10.1067/mai.2001.118130>.
15. Boyce, J. A., A. Assa'a, A. W. Burks, S. M. Jones, H. A. Sampson, R. A. Wood, M. Plaut, et al. 2011. Guidelines for the diagnosis and management of food allergy in the United States: Summary of the NIAID-Sponsored Expert Panel Report. *Nutrition* 27 (2): 253-267. <http://dx.doi.org/10.1016/j.nut.2010.12.001>.
16. Boyle, R. J., M. L. K. Tang, W. C. Chiang, M. C. Chua, I. Ismail, A. Nauta, J. O. B. Hourihane, et al. 2016. Prebiotic-supplemented partially hydrolysed cow's milk formula for the prevention of eczema in high-risk infants: a randomized controlled trial. *Allergy* 71 (5): 701-710. <http://dx.doi.org/10.1111/all.12848>.
17. Brunekreef, B., E. Von Mutius, G. K. Wong, J. A. Odhiambo, and T. O. Clayton. 2012. Early life exposure to farm animals and symptoms of asthma, rhinoconjunctivitis and eczema: an ISAAC Phase Three Study. *International Journal of Epidemiology* 41 (3): 753-761. <http://dx.doi.org/10.1093/ije/dyr216>.

18. Chang, Y.-S., M. K. Trivedi, A. Jha, Y.-F. Lin, L. Dimaano, and M. T. García-Romero. 2016. Synbiotics for Prevention and Treatment of Atopic Dermatitis. *JAMA Pediatrics* 170 (3): 236. <http://dx.doi.org/10.1001/jamapediatrics.2015.3943>.
19. Cuello-Garcia, C. A., J. L. Brożek, A. Fiocchi, R. Pawankar, J. J. Yepes-Nuñez, L. Terracciano, S. Gandhi, et al. 2015. Probiotics for the prevention of allergy: A systematic review and meta-analysis of randomized controlled trials. *Journal of Allergy and Clinical Immunology* 136 (4): 952-961. <http://dx.doi.org/10.1016/j.jaci.2015.04.031>.
20. Cuello-Garcia, C. A., A. Fiocchi, R. Pawankar, J. J. Yepes-Nuñez, G. P. Morgano, Y. Zhang, K. Ahn, et al. 2016. World Allergy Organization-McMaster University Guidelines for Allergic Disease Prevention (GLAD-P): Prebiotics. *World Allergy Organ J* 9 (1). <http://dx.doi.org/10.1186/s40413-016-0102-7>.
21. de Silva, D., M. Geromi, S. Halken, A. Host, S. S. Panesar, A. Muraro, T. Werfel, et al. 2014. Primary prevention of food allergy in children and adults: systematic review. *Allergy* 69 (5): 581-589. <http://dx.doi.org/10.1111/all.12334>.
22. de Vrese, M., and J. Schrezenmeier. 2008. Probiotics, Prebiotics, and Synbiotics. In *Food Biotechnology*: Springer Science + Business Media.
23. Dicksved, J., H. Floistrup, A. Bergstrom, M. Rosenquist, G. Pershagen, A. Scheynius, S. Roos, et al. 2007. Molecular Fingerprinting of the Fecal Microbiota of Children Raised According to Different Lifestyles. *Applied and Environmental Microbiology* 73 (7): 2284-2289. <http://dx.doi.org/10.1128/aem.02223-06>.
24. Dominguez-Bello, M. G., E. K. Costello, M. Contreras, M. Magris, G. Hidalgo, N. Fierer, and R. Knight. 2010. Delivery mode shapes the acquisition and structure of the initial microbiota across multiple body habitats in newborns. *Proceedings of the National Academy of Sciences* 107 (26): 11971-11975. <http://dx.doi.org/10.1073/pnas.1002601107>.
25. Ege, M. J., M. Mayer, A.-C. Normand, J. Genuneit, W. O. C. M. Cookson, C. Braun-Fahrlander, D. Heederik, R. Piarroux, and E. von Mutius. 2011. Exposure to Environmental Microorganisms and Childhood Asthma. *New England Journal of Medicine* 364 (8): 701-709. <http://dx.doi.org/10.1056/nejmoa1007302>.
26. Fishbein, A. B., and R. L. Fuleihan. 2012. The hygiene hypothesis revisited. *Current Opinion in Pediatrics* 24 (1): 98-102. <http://dx.doi.org/10.1097/mop.0b013e32834ee57c>.
27. Forno, E., A. B. Onderdonk, J. McCracken, A. A. Litonjua, D. Laskey, M. L. Delaney, A. M. DuBois, et al. 2008. Diversity of the gut microbiota and eczema in early life. *Clinical and Molecular Allergy* 6 (1): 11. <http://dx.doi.org/10.1186/1476-7961-6-11>.
28. Fouhy, F., C. M. Guinane, S. Hussey, R. Wall, C. A. Ryan, E. M. Dempsey, B. Murphy, et al. 2012. High-Throughput Sequencing Reveals the Incomplete, Short-Term Recovery of Infant Gut Microbiota following Parenteral Antibiotic Treatment with Ampicillin and Gentamicin. *Antimicrobial Agents and Chemotherapy* 56 (11): 5811-5820. <http://dx.doi.org/10.1128/aac.00789-12>.
29. Guarner, F., R. Bourdet-Sicard, P. Brandtzaeg, H. S. Gill, P. McGuirk, W. van Eden, J. Versalovic, J. V. Weinstock, and G. A. W. Rook. 2006. Mechanisms of Disease: the hygiene hypothesis revisited. *Nature Clinical Practice Gastroenterology & Hepatology* 3 (5): 275-284. <http://dx.doi.org/10.1038/ncpgasthep0471>.
30. Haahtela, T., T. Laatikainen, H. Alenius, P. Auvinen, N. Fyhrquist, I. Hanski, L. von Hertzen, et al. 2015. Hunt for the origin of allergy - comparing the Finnish and Russian Karelia. *Clinical & Experimental Allergy* 45 (5): 891-901. <http://dx.doi.org/10.1111/cea.12527>.
31. Hällström, M., E. Eerola, R. Vuento, M. Janas, and O. Tammela. 2004. Effects of mode of delivery and necrotising enterocolitis on the intestinal microflora in preterm infants. *European Journal of Clinical Microbiology & Infectious Diseases* 23 (6): 463-470. <http://dx.doi.org/10.1007/s10096-004-1146-0>.
32. Hanski, I., L. von Hertzen, N. Fyhrquist, K. Koskinen, K. Torppa, T. Laatikainen, P. Karisola, et al. 2012. Environmental biodiversity, human microbiota, and allergy are interrelated. *Proceedings of the National Academy of Sciences* 109 (21): 8334-8339. <http://dx.doi.org/10.1073/pnas.1205624109>.
33. Hill, C., F. Guarner, G. Reid, G. R. Gibson, D. J. Merenstein, B. Pot, L. Morelli, et al. 2014. Expert consensus document: The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nature Reviews Gastroenterology & Hepatology* 11 (8): 506-514. <http://dx.doi.org/10.1038/nrgastro.2014.66>.
34. Hol, J., E. H. G. van Leer, B. E. E. Elink Schuurman, L. F. de Ruiter, J. N. Samsom, W. Hop, H. J. Neijens, J. C. de Jongste, and E. E. S. Nieuwenhuis. 2008. The acquisition of tolerance toward cow's milk through probiotic supplementation: A randomized, controlled trial. *Journal of Allergy and Clinical Immunology* 121 (6): 1448-1454. <http://dx.doi.org/10.1016/j.jaci.2008.03.018>.

35. Jakobsson, H. E., T. R. Abrahamsson, M. C. Jenmalm, K. Harris, C. Quince, C. Jernberg, B. Björkstén, L. Engstrand, and A. F. Andersson. 2013. Decreased gut microbiota diversity, delayed Bacteroidetes colonisation and reduced Th1 responses in infants delivered by Caesarean section. *Gut* 63 (4): 559-566. <http://dx.doi.org/10.1136/gutjnl-2012-303249>.
36. Kalliomäki, M., P. Kirjavainen, E. Eerola, P. Kero, S. Salminen, and E. Isolauri. 2001. Distinct patterns of neonatal gut microflora in infants in whom atopy was and was not developing. *Journal of Allergy and Clinical Immunology* 107 (1): 129-134. <http://dx.doi.org/10.1067/mai.2001.111237>.
37. Karpa, K., I. M. Paul, J. Leckie, S. Shung, N. Carkaci-Salli, K. E. Vrana, D. Mauger, T. Fausnight, and J. Poger. 2012. A retrospective chart review to identify perinatal factors associated with food allergies. *Nutrition Journal* 11 (1): 87. <http://dx.doi.org/10.1186/1475-2891-11-87>.
38. Kim, S.-O., Y.-M. Ah, Y. M. Yu, K. H. Choi, W.-G. Shin, and J.-Y. Lee. 2014. Effects of probiotics for the treatment of atopic dermatitis: a meta-analysis of randomized controlled trials. *Annals of Allergy, Asthma & Immunology* 113 (2): 217-226. <http://dx.doi.org/10.1016/j.anai.2014.05.021>.
39. Koplin, J. J., S. C. Dharmage, A. L. Ponsonby, M. L. K. Tang, A. J. Lowe, L. C. Gurrin, N. J. Osborne, et al. 2012. Environmental and demographic risk factors for egg allergy in a population-based study of infants. *Allergy* 67 (11): 1415-1422. <http://dx.doi.org/10.1111/all.12015>.
40. Korpela, K., A. Salonen, L. J. Virta, R. A. Kekkonen, and W. M. de Vos. 2016. Association of Early-Life Antibiotic Use and Protective Effects of Breastfeeding. *JAMA Pediatrics*. <http://dx.doi.org/10.1001/jamapediatrics.2016.0585>.
41. Le Huërou-Luron, I., S. Blat, and G. Boudry. 2010. Breast- v. formula-feeding: impacts on the digestive tract and immediate and long-term health effects. *Nutr. Res. Rev.* 23 (01): 23-36. <http://dx.doi.org/10.1017/s0954422410000065>.
42. Lockey, R. F. 2012. History of the World Allergy Organization. *World Allergy Organization Journal* 5 (2): 28-35. <http://dx.doi.org/10.1097/wox.0b013e318249715a>.
43. Lodge, C. J., D. J. Tan, M. X. Z. Lau, X. Dai, R. Tham, A. J. Lowe, G. Bowatte, K. J. Allen, and S. C. Dharmage. 2015. Breastfeeding and asthma and allergies: a systematic review and meta-analysis. *Acta Paediatrica* 104: 38-53. <http://dx.doi.org/10.1111/apa.13132>.
44. Madan, J. C., A. G. Hoen, S. N. Lundgren, S. F. Farzan, K. L. Cottingham, H. G. Morrison, M. L. Sogin, et al. 2016. Association of Cesarean Delivery and Formula Supplementation With the Intestinal Microbiome of 6-Week-Old Infants. *JAMA Pediatrics* 170 (3): 212. <http://dx.doi.org/10.1001/jamapediatrics.2015.3732>.
45. McBride, D., T. Keil, L. Grabenhenrich, R. Dubakiene, G. Drasutiene, A. Fiocchi, L. Dahdah, et al. 2011. The EuroPrevall birth cohort study on food allergy: baseline characteristics of 12,000 newborns and their families from nine European countries. *Pediatric Allergy and Immunology* 23 (3): 230-239. <http://dx.doi.org/10.1111/j.1399-3038.2011.01254.x>.
46. Muraro, A., S. Halken, S. H. Arshad, K. Beyer, A. E. J. Dubois, G. Du Toit, P. A. Eigenmann, et al. 2014. EAACI Food Allergy and Anaphylaxis Guidelines. Primary prevention of food allergy. *Allergy* 69 (5): 590-601. <http://dx.doi.org/10.1111/all.12398>.
47. Muraro, A., T. Werfel, K. Hoffmann-Sommergruber, G. Roberts, K. Beyer, C. Bindslev-Jensen, V. Cardona, et al. 2014. EAACI Food Allergy and Anaphylaxis Guidelines: diagnosis and management of food allergy. *Allergy* 69 (8): 1008-1025. <http://dx.doi.org/10.1111/all.12429>.
48. Penders, J., C. Thijs, P. A. van den Brandt, I. Kummeling, B. Snijders, F. Stelma, H. Adams, R. van Ree, and E. E. Stobberingh. 2007. Gut microbiota composition and development of atopic manifestations in infancy: the KOALA Birth Cohort Study. *Gut* 56 (5): 661-667. <http://dx.doi.org/10.1136/gut.2006.100164>.
49. Penders, J., C. Thijs, C. Vink, F. F. Stelma, B. Snijders, I. Kummeling, P. A. van den Brandt, and E. E. Stobberingh. 2006. Factors Influencing the Composition of the Intestinal Microbiota in Early Infancy. *PEDIATRICS* 118 (2): 511-521. <http://dx.doi.org/10.1542/peds.2005-2824>.
50. Prescott, S. L. 2003. Allergy: the price we pay for cleaner living? *Annals of Allergy, Asthma & Immunology* 90 (6): 64-70. [http://dx.doi.org/10.1016/s1081-1206\(10\)61663-8](http://dx.doi.org/10.1016/s1081-1206(10)61663-8).
51. Pyrhönen, K., S. Näyhä, L. Hiltunen, and E. Läärä. 2013. Caesarean section and allergic manifestations: insufficient evidence of association found in population-based study of children aged 1 to 4 years. *Acta Paediatrica* 102 (10): 982-989. <http://dx.doi.org/10.1111/apa.12342>.
52. Renz, H., E. von Mutius, P. Brandtzaeg, W. O. Cookson, I. B. Autenrieth, and D. Haller. 2011. Gene-environment interactions in chronic inflammatory disease. *Nature Immunology* 12 (4): 273-277. <http://dx.doi.org/10.1038/ni0411-273>.

53. Salminen, S. 2004. Influence of mode of delivery on gut microbiota composition in seven year old children. *Gut* 53 (9): 1388-1389. <http://dx.doi.org/10.1136/gut.2004.041640>.
54. Sansonetti, P. J., and R. Medzhitov. 2009. Learning Tolerance while Fighting Ignorance. *Cell* 138 (3): 416-420. <http://dx.doi.org/10.1016/j.cell.2009.07.024>.
55. Shibata, R., M. Kimura, H. Takahashi, K. Mikami, Y. Aiba, H. Takeda, and Y. Koga. 2009. Clinical effects of kestose, a prebiotic oligosaccharide, on the treatment of atopic dermatitis in infants. *Clinical & Experimental Allergy* 39 (9): 1397-1403. <http://dx.doi.org/10.1111/j.1365-2222.2009.03295.x>.
56. Sicherer, S. H. 2011. Epidemiology of food allergy. *Journal of Allergy and Clinical Immunology* 127 (3): 594-602. <http://dx.doi.org/10.1016/j.jaci.2010.11.044>.
57. Strachan, D. P. 1989. Hay fever, hygiene, and household size. *BMJ* 299 (6710): 1259-1260. <http://dx.doi.org/10.1136/bmj.299.6710.1259>.
58. Thavagnanam, S., J. Fleming, A. Bromley, M. D. Shields, and C. R. Cardwell. 2008. A meta-analysis of the association between Caesarean section and childhood asthma. *Clinical & Experimental Allergy* 38 (4): 629-633. <http://dx.doi.org/10.1111/j.1365-2222.2007.02780.x>.
59. van Nimwegen, F. A., J. Penders, E. E. Stobberingh, D. S. Postma, G. H. Koppelman, M. Kerkhof, N. E. Reijmerink, et al. 2011. Mode and place of delivery, gastrointestinal microbiota, and their influence on asthma and atopy. *Journal of Allergy and Clinical Immunology* 128 (5): 948-955.e3. <http://dx.doi.org/10.1016/j.jaci.2011.07.027>.
60. Victora, C. G., R. Bahl, A. J. D. Barros, G. V. A. França, S. Horton, J. Krasevec, S. Murch, et al. 2016. Breastfeeding in the 21st century: epidemiology, mechanisms, and lifelong effect. *The Lancet* 387 (10017): 475-490. [http://dx.doi.org/10.1016/s0140-6736\(15\)01024-7](http://dx.doi.org/10.1016/s0140-6736(15)01024-7).
61. von Mutius, E., and D. Vercelli. 2010. Farm living: effects on childhood asthma and allergy. *Nat Rev Immunol* 10 (12): 861-868. <http://dx.doi.org/10.1038/nri2871>.
62. Wang, M., C. Karlsson, C. Olsson, I. Adlerberth, A. E. Wold, D. P. Strachan, P. M. Martriacardi, et al. 2008. Reduced diversity in the early fecal microbiota of infants with atopic eczema. *Journal of Allergy and Clinical Immunology* 121 (1): 129-134. <http://dx.doi.org/10.1016/j.jaci.2007.09.011>.
63. West, C. E., P. Rydén, D. Lundin, L. Engstrand, M. K. Tulic, and S. L. Prescott. 2015. Gut microbiome and innate immune response patterns in IgE-associated eczema. *Clinical & Experimental Allergy* 45 (9): 1419-1429. <http://dx.doi.org/10.1111/cea.12566>.
64. Yatsunenko, T., F. E. Rey, M. J. Manary, I. Trehan, M. G. Dominguez-Bello, M. Contreras, M. Magris, et al. 2012. Human gut microbiome viewed across age and geography. *Nature*. <http://dx.doi.org/10.1038/nature11053>.
65. Zivkovic, A. M., J. B. German, C. B. Lebrilla, and D. A. Mills. 2010. Human milk glyco-biome and its impact on the infant gastrointestinal microbiota. *Proceedings of the National Academy of Sciences* 108 (Supplement_1): 4653-4658. <http://dx.doi.org/10.1073/pnas.1000083107>.

Chapter 16 : Probiotic interventions to optimise the infant and child microbiota

1. Odamaki T, Kato K, Sugahara H, Hashikura N, Takahashi S, Xiao JZ, Abe F, Osawa R. Age-related changes in gut microbiota composition from newborn to centenarian: a cross-sectional study. *BMC Microbiol.* 2016;16:90.
2. Collado MC, Rautava S, Aakko J, Isolauri E, Salminen S. Human gut colonisation may be initiated in utero by distinct microbial communities in the placenta and amniotic fluid. *Sci Rep.* 2016;6:23129.
3. Heida FH, van Zoonen AG, Hulscher JB, Te Kiefte BJ, Wessels R, Kooi EM, Bos AF, Harmsen HJ, de Goffau MC. A necrotizing enterocolitis-associated gut microbiota is present in the meconium: results of a prospective study. *Clin Infect Dis.* 2016;62:863-70.
4. Hill C, Guarner F, Reid G, Gibson GR, Merenstein DJ, Pot B, Morelli L, Canani RB, Flint HJ, Salminen S, Calder PC, Sanders ME. Expert consensus document. The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nat Rev Gastroenterol Hepatol.* 2014;11:506-14.
5. Valcheva R, Dieleman LA. Prebiotics: Definition and protective mechanisms. *Best Pract Res Clin Gastroenterol.* 2016;30:27-37.
6. Reid G, Kumar H, Khan AI, Rautava S, Tobin J, Salminen S. The case in favour of probiotics before, during and after pregnancy: insights from the first 1,500 days. *Benef Microbes.* 2016;7:353-62.
7. Rutten NB, Rijkers GT, Meijssen CB, Crijns CE, Oudshoorn JH, van der Ent CK, Vlieger AM. Intestinal microbiota composition after antibiotic treatment in early life: the INCA study. *BMC Pediatr.* 2015;15:204
8. Huet F, Abrahamse-Berkeveld M, Tims S, Simeoni U, Beley G, Savagner C, Vandenplas Y, Hourihane JO. Partly fermented infant formulae with specific oligosaccharides support adequate infant growth and are well-tolerated. *J Pediatr Gastroenterol Nutr.* 2016
9. Hamilton-Miller JM, Shah S, Smith CT. Probiotic "remedies are not what they seem. *BMJ.* 1996;312:55-6.
10. Vanhee LM, Goemé F, Nelis HJ, Coenye T. Quality control of fifteen probiotic products containing *Saccharomyces boulardii*. *J Appl Microbiol.* 2010;109:1745-52
11. Huys G, Botteldoorn N, Delvigne F, De Vuyst L, Heyndrickx M, Pot B, Dubois JJ, Daube G. Microbial characterization of probiotics--advisory report of the Working Group "8651 Probiotics" of the Belgian Superior Health Council (SHC). *Mol Nutr Food Res.* 2013;57:1479-504.
12. Taipale T, Pienihäkkinen K, Isolauri E, Jokela JT, Söderling EM. *Bifido animalis* subsp. *lactis* BB-12 in reducing the risk of infections in infancy. *Br J Nutr.* 2011;105:409-16
13. Santagati M, Scillato M, Muscaridola N, Metoldo V, La Mantia I, Stefani S. Colonization, safety, and tolerability study of the *Streptococcus salivarius* 24SMBc nasal spray for its application in upper respiratory tract infections. *Eur J Clin Microbiol Infect Dis.* 2015;34:2075-80
14. Olson JK, Rager TM, Navarro JB, Mashburn-Warren L, Goodman SD, Besner GE. Harvesting the benefits of biofilms: A novel probiotic delivery system for the prevention of necrotizing enterocolitis. *J Pediatr Surg.* 2016 . [Epub ahead of print]
15. Dotterud CK, Avershina E, Sekelja M, Simpson MR, Rudi K, Storrø O, Johnsen R, Øien T. Does maternal perinatal probiotic supplementation alter the intestinal microbiota of mother and child? *J Pediatr Gastroenterol Nutr.* 2015;61:200-7.
16. Panya M, Lulitanond V, Rattanachai-kunsopon P, Srivoramas T, Chaiwong T. Isolation, Identification, and evaluation of novel probiotic strains isolated from feces of breast-fed infants. *J Med Assoc Thai.* 2016;99 Suppl 1:S28-34.
17. Grandy G Medina M, Soria R, Terán CG, Araya M. Probiotics in the treatment of acute rotavirus diarrhoea. A randomized, double-blind, controlled trial using two different probiotic preparations in Bolivian children. *BMC Infect Dis.* 2010;10:253.
18. Chapman CM, Gibson GR, Rowland I. In vitro evaluation of single- and multi-strain probiotics: Inter-species inhibition between probiotic strains, and inhibition of pathogens. *Anaerobe.* 2012;18:405-13.
19. Shornikova AV, Casas IA, Isolauri E, Mykkänen H, Vesikari T, Shornikova AV. *Lactobacillus reuteri* as a therapeutic agent in acute diarrhea in young children. *J Pediatr Gastroenterol Nutr.* 1997;16:1103-7
20. Zhang Y, Li L, Guo C, Mu D, Feng B, Zuo X, Li Y. Effects of probiotic type, dose and treatment duration on irritable bowel syndrome diagnosed by Rome III criteria: a meta-analysis. *BMC Gastroenterol.* 2016;16:62.

22. Rosenfeldt V, Michaelsen KF, Jakobsen M, Larsen CN, Møller PL, Pedersen P, Tvede M, Weyrehter H, Valerius NH, Paerregaard A. Effect of probiotic *Lactobacillus* strains in young children non-hospitalized with acute diarrhea *Pediatr Infect Dis J* 2002;21:411-6
23. Uusitalo U, Liu X, Yang J, Aronsson CA, Hummel S, Butterworth M, Lernmark Å, Rewers M, Hagopian W, She JX, Simell O, Toppari J, Ziegler AG, Akolkar B, Krischer J, Norris JM, Virtanen SM; TEDDY Study Group. Association of Early Exposure of Probiotics and Islet Autoimmunity in the TEDDY Study. *JAMA Pediatr*. 2016;170:20-8.
24. Steenhout PG, Rochat F, Hager C. The effect of *Bifido lactis* on the growth of infants: a pooled analysis of randomized controlled trials. *Ann Nutr Metab*. 2009;55:334-40
25. Zbinden A, Zbinden R, Berger C, Arlettaz R. Case series of *Bifidobacterium longum* bacteremia in three preterm infants on probiotic therapy. *Neonatology*. 2015;107:56-9.
26. West CE. Probiotics for allergy prevention. *Benef Microbes*. 2016;7:171-9.
27. Taipale TJ, Pienihäkkinen K, Isolauri E, Jokela JT, Söderling EM. *Bifidobacterium animalis* subsp. *lactis* BB-12 in reducing the risk of infections in early childhood. *Pediatr Res*. 2016;79:65-9.
28. Chen AC, Chung MY, Chang JH, Lin HC. Pathogenesis implication for necrotizing enterocolitis prevention in preterm very-low-birth-weight infants. *J Pediatr Gastroenterol Nutr*. 2014;58:7-11.
29. Costeloe K, Hardy P, Juszcak E, Wilks M, Millar MR; Probiotics in Preterm Infants Study Collaborative Group. *Bifidobacterium breve* BBG-001 in very preterm infants: a randomised controlled phase 3 trial. *Lancet*. 2016;387:649-60.
30. Akar M, Eras Z, Oncel MY, Arayici S, Guzoglu N, Canpolat FE, Uras N, Oguz SS. Impact of oral probiotics on neurodevelopmental outcomes in preterm infants. *J Matern Fetal Neonatal Med*. 2016 May 5:1-5. [Epub ahead of print]
31. Petersen SM, Greisen G, Krogfelt KA. Nasogastric feeding tubes from a neonatal department yield high concentrations of potentially pathogenic bacteria - even 1 d after insertion. *Pediatr Res*. 2016 May 11. doi: 10.1038/pr.2016.86. [Epub ahead of print]
32. Goldenberg JZ, Lytvyn L, Steurich J, Parkin P, Mahant S, Johnston BC. Probiotics for the prevention of pediatric antibiotic-associated diarrhea. *Cochrane Database Syst Rev*. 2015;(12):CD004827.
33. Xu M, Wang J, Wang N, Sun F, Wang L, Liu XH. The efficacy and safety of the probiotic *Bacterium Lactobacillus reuteri* DSM 17938 for infantile colic: a meta-analysis of randomized controlled trials. *PLoS One*. 2015;10:e0141445.
34. Pärtty A, Lehtonen L, Kalliomäki M, Salminen S, Isolauri E. Probiotic *Lactobacillus rhamnosus* GG therapy and microbiological programming in infantile colic: a randomized, controlled trial. *Pediatr Res*. 2015;78:470-5.
35. Kianifar H, Ahanchian H, Grover Z, Jafari S, Noorbakhsh Z, Khakshour A, Sedaghat M, Kiani M. Synbiotic in the management of infantile colic: a randomised controlled trial. *J Paediatr Child Health*. 2014;50:801-5.
36. Harb T1, Matsuyama M, David M, Hill RJ. Infant colic - What works: a systematic review of interventions for breast-fed infants. *J Pediatr Gastroenterol Nutr*. 2016;62:668-86.
37. Garofoli F, Civardi E, Indrio F, Mazzucchelli I, Angelini M, Tinelli C, Stronati M. The early administration of *Lactobacillus reuteri* DSM 17938 controls regurgitation episodes in full-term breastfed infants. *Int J Food Sci Nutr*. 2014;65:646-8.
38. Taylor AL, Dunstan JA, Prescott SL. Probiotic supplementation for the first 6 months of life fails to reduce the risk of atopic dermatitis and increases the risk of allergen sensitization in high-risk children: a randomized controlled trial. *J All Clin Immunol* 2007;119:184-91
39. Rather IA, Bajpai VK, Kumar S, Lim J, Paek WK, Park YH. Probiotics and atopic dermatitis: an overview. *Front Microbiol*. 2016;7:507.
40. Panduru M, Panduru NM, Sălăvăstru CM, Tiplica GS. Probiotics and primary prevention of atopic dermatitis: a meta-analysis of randomized controlled studies. *J Eur Acad Dermatol Venereol*. 2015;29:232-42.
41. Simpson MR, Dotterud CK, Storrø O, Johnsen R, Øien T. Perinatal probiotic supplementation in the prevention of allergy related disease: 6 year follow up of a randomised controlled trial. *BMC Dermatol*. 2015;15:13.
42. Fiocchi A, Pawankar R, Cuello-Garcia C, Ahn K, Al-Hammadi S, Agarwal A, Beyer K, Burks W, Canonica GW, Ebisawa M, Gandhi S, Kamenwa R, Lee BW, Li H, Prescott S, Riva JJ, Rosenwasser L, Sampson H, Spigler M, Terracciano L, Vereda-Ortiz A, Wasserman S, Yepes-Nuñez JJ, Brożek JL, Schünemann HJ. World Allergy Organization-McMaster University Guidelines for Allergic Disease Prevention (GLAD-P): Probiotics. *World Allergy Organ J*. 2015;8:4.

43. Salvini FJ, Riva E, Salvatici E, Boehm G, Jelinek J, Banderali G, Giovannini M. A specific prebiotic mixture added to starting infant formula has long-lasting bifidogenic effects. *Nutr.* 2011;141:1335-9
44. Veereman-Wauters G, Staelens S, Van de Broek H, Plaskie K, Wesling F, Roger LC, McCartney AL, Assam P. Physiological and bifidogenic effects of prebiotic supplements in infant formulae. *J Pediatr Gastroenterol Nutr.* 2011;52:763-71.
45. Bocquet A, Lachambre E, Kempf C, Beck L. Effect of infant and follow-on formulas containing B lactis and galacto- and fructo-oligosaccharides on infection in healthy term infants. *J Pediatr Gastroenterol Nutr.* 2013;57:180-7.
46. Chang YS, Trivedi MK, Jha A, Lin YF, Dimaano L, García-Romero MT. Synbiotics for Prevention and Treatment of Atopic Dermatitis: A Meta-analysis of Randomized Clinical Trials. *JAMA Pediatr.* 2016;170:236-42.
47. Palmer EG. Resurrecting the intestinal microbiota to combat antibiotic-resistant pathogens. *Science.* 2016;352:535-8.