# EAPM Main Conference – Friday

# 15.30 - 17.00 Parallel sessions 4

- Persistent post-concussion symptoms after mild traumatic brain injury, early predictors and early intervention
  - Ch. Rask: Epidemiology, pathophysiology, and effect of early intervention in concussion: Cohort description of the Danish EPIC study
  - Tuborgh: Attachment style and symptom reporting in young persons with concussion
  - N. Tsur, Ch. Haller: Traumatic brain injury and its effect on mental and physical health of close relatives: The role of posttraumatic stress symptom
  - M. Moeller Thastum: *Early intervention for impairing post-concussion symptoms in adolescents and young adults: Results from a randomised trial*
  - E. Næss-Schmidt: *Diffusion kurtosis imaging in patients with prolonged post- concussion symptoms*

# Momentary Assessment and m-Health in Urine Incontinence or Overactive Bladder

- C. Leue: Functional urological disorders: A sensitized defence response in the bladder–gut–brain axis
- D. Vrijens: Affective symptoms and the overactive bladder: A systematic review
- G. van Koeveringe: *ESM, a solution to unmet clinical needs, using a real life symptom evaluation in OAB*
- Alexandra Herrewegh: The development of a patient-reported outcome measurement (UROMATE) for real-time symptom assessment in a population with functional urologic complaints: A focus group study
- A. Baban: Addressing women with Urinary Incontinence: The development of an ICTbased integrated treatment

# Psychological trauma in the onset and maintenance of chronic pain

- Ciaramella: Role of traumatic life events in cognitive and somatic discomfort in subjects with episodic and chronic pain
- J. Tesarz: Psychological trauma and its consequences in chronic pain: Empirical data and new therapeutic approaches
- o A.F. Allaz: Trauma history in the narratives of two groups of chronic pain patients
- D. Riedl: The influence of childhood victimization on the occurrence and severity of chronic pain in adulthood

# - Mental health issues in diabetes mellitus and metabolic diseases: Update 2019

- S. Atasoy: Psychodiabetology of metabolic diseases: recent updates
- K.-H. Ladwig: Inverse Relationship between Social Isolation and Type 2 Diabetes Incidence in People with Obesity: Findings from the MONICA/KORA Prospective Cohort
- X. Cai: Loneliness and obesity in old women are associated with lower plasma oxytocin levels: The combined impact of mental and physical distress on the neuroendocrine system
- Ch. Sujana: Generalised anxiety disorder and incident type 2 diabetes in KORA F4/FF4 Study
- H. Johar: Chronic inflammation contributes to cortisol-induced hyperglycemia: Findings from the KORA Age study

# - Update on Irritable Bowel Syndrome

- N. Mazurak: Pathophysiology
- A. Stengel: *Treatment*
- S. Zipfel: Overlap with other bodily distress disorders
- N. Husain: Lived experiences of Irritable Bowel Syndrome and role of culturally adapted Cognitive Behavior Therapy (CBT): A mixed methods study
- M. Tkalcic: *Relationship between IBS-specific behavioral responses and various aspects of anxiety and symptom intensity preliminary results*

# Pediatric Psychosomatic Medicine

- Naz: Lived experiences of adolescents with recent history of self-harm: A qualitative study from Pakistan
- D. R. Hulgaard: Family therapy for severe functional disorders in youth: A qualitative analysis
- L. Bundgaard Larsen: Functional somatic symptoms in preschool children with AHDH: An overseen clinical problem?
- P. Dehnel: Value-Based Pediatric Integrated Case Management

#### - Mindfulness-based Cognitive Therapy (MBCT) for distressed cancer patients

- L. Cillessen, et al.: Mindfulness-based interventions for psychological distress and physical outcomes in cancer patients and survivors: A meta-analysis of randomized controlled trials
- F. Compen, et al.: Cost-effectiveness of individual internet-based and face-to-face Mindfulness-Based Cognitive Therapy compared to Treatment As Usual in reducing psychological distress in cancer patients
- E. Bisseling, et al.: Development of Therapeutic Alliance and its association with treatment outcome in internet based Mindfulness-Based Cognitive Therapy (eMBCT) compared to group-based MBCT (MBCT) for distressed cancer patients
- M. Martin, et al.: *Mindfulness-Based Cognitive Therapy for Irritable Bowel Syndrome: Reducing Symptoms and Increasing Quality of Life*
- Young researchers mentoring session