

## LITERATUURLIJST

### BIJSCHOLINGSCURSUS

#### OSTEOPATHISCHE DIAGNOSTIEK EN BEHANDELINGSPRINCIPES BIJ HARDLOPERS

RIK HOSTE DO MSc

---

Ackermans T, Epro G, McCrum Cj, Oberländer K, Suhr F, Drost M, Meijer K & Karamanidis K, **Aging and the effects of a half marathon on achilles tendon force-elongation relationship**, Eur J Appl Physiol 2016, 116(11-12): 2281-92

Albracht K & Arampatzis A, **Exercise-induced changes in triceps surae tendon stiffness and muscle strength affect running economy in humans**, Eur J Appl Physiol 2013; 113(6): 1605-15

Almeida M, Davis I & Lopes A, **Biomechanical differences of foot-strike patterns during running: a systematic review with meta-analyses**, J Orthop Sports Phys Ther 2015; 45(10): 738-55

Anderson L, Bonznno F, Hart H & Barton C, **What are the benefits and risks associated with changing foot strike pattern during running? A systematic review and meta-analysis of injury, running economy and biomechanics**, Sports Med 2019; doi: 10.1007/s40279-019-01238-y

Armstrong R, Davey T, Allsopp A, Lanham-New S, Oduoza U, Cooper J, Montgomery H & Fallowfield J, **Low serum 25-hydroxyvitamin D status in the pathogenesis of stress fractures in military personnel: An evidenced link to support injury risk management**, Plos One 2020; 15(3): e0229638

Barrack T, Rauh J & Nichols F, **Prevalence of and traits associated with low BMD among female adolescent runners**, Med Sci Sports Exerc 2008; 40(12): 2015-21

Barral JP & Mercier P, **Manipulations viscérales**, 1983 Maloine

Beach P, **Muscles and meridians, The manipulation of shape**, 2010 Elsevier Ltd, ISBN 978-0-7020-3109-0

Becker J & Borgia B, **Kinematics and muscle activity when running in partial minimalist, traditional, and maximalist shoes**, J Electromyogr Kinesiol 2019; 50: 102379

Berz K & McCambridge T, **Amenorrhea in the female athlete: what to do and when to worry**, Pediatr Ann 2016; 45(3): e97-102

Bicalho E, Vieira L, Makita D & Cano L, **Inhibitory tests as assessment tools for somatic dysfunctions: mechanisms and practical applications**, Cureus 2020; 12(4): e7700

Blechs Schmidt E, **The beginnings of human life**, 1977 Springer Verlag, ISBN 0-378-90249-X

Blechs Schmidt E & Gasser R, **Biokinetics and biodynamics of human differentiation, Principles and applications**, 1978 Charles C Thomas Publisher, ISBN 0-398-03654-3

Bolz S & Davies G, **Leg length differences and correlation with total leg strength**, J Orthop Sports Phys Ther 1984; 6(2): 123-9

Bonacci J, Hall M, Fox A, Saunders N, Shippides T & Vicenzino B, **The influence of cadence and shoes on patellofemoral joint kinetics in runners with patellofemoral pain**, J Sci Med Sport 2018; 21(6): 574-8

Bordoni B, Walkowski S, Morabito B & Varacello MA, **Fascial nomenclature: an update**, *Cureus* 2019, 11: 5718

Bordoni B & Myers T, **A Review of the Theoretical Fascial Models: Biotensegrity, Fascintegrity, and Myofascial Chains**, *Cureus* 12(2): e7092

Bordoni B & Morabito B, **Reflections on the development of fascial tissue: starting from embryology**, *Adv Med Educ Pract* 2020; 11: 37-39

Bordoni B, Varacello MA, Morabito B & Simonelli M, **Biotensegrity or fascintegrity**, *Cureus* 2019; 11(6): e4819

Bordoni B, **The shape and function of solid fascias depends on the presence of liquid fascias**, *Cureus* 2020; 12(2): e6939

Borgen N, **Running performance, VO<sub>2</sub>max and running economy: the widespread issue of endogenous selection bias**, *Sports Med* 2018; 48(5): 1049-58

Braga U, Mendonça L, Mascarenhas R, Alves C, Filho R & Resende R, **Effects of medially wedged insole in the biomechanics of the lower limbs of runners with excessive foot pronation and foot varus alignment**, *Gait Post* 2019; 74: 242-9

Bratke G, Brüggeman G, Willwacher S, Mählich D, Trudeau M, Rohr E, Weir G, Maintz D & Hamill J, **Does footwear affect articular cartilage volume change after a prolonged run?**, *Scan J Med Sci Sports* 2020; 30(2): 332-8

Breine B, Malcolm P, Frederick E & De Clercq D, **Relationship between running speed and initial foot contact patterns**, *Med Sci Sports Exerc* 2014; 46(8): 1595-603

Brindle R, Taylon J, Rajek C, Weisbrod A & Ford K, **Association between temporal spatial parameters and overuse injury history in runners: a systematic review and meta-analysis**, *Sports Med* 2020; 50(2): 331-42

Brumm L, Janiski C, Balawender J & Feinstein A, **Preventive osteopathic manipulative treatment and stress fracture incidence among collegiate cross-country athletes**, *The Journal of the American Osteopathic Association* 2013; 113(12): 882–890

Buekens J, **Bone, the best-kept secret**, 2020 School of Bones – ISBN 978-2-9199647-0-3

Busquet L, **Les chaînes musculaires**, 2005 Frison Roche – ISBN 2-87671-349-7

Chauffour P, Prat E & Michaud J, **Le lien mécanique ostéopathique: artères et système neuro-végétatif**, 2009 Sully, ISBN 978-2-35432-029-4

Clauzade M & Marty JP, **Orthoposturondontie**, 1998 S.E.O.O., ISBN 2-9504006-2-0

Davis I, Rice H & Wearing S, **Why forefoot striking in minimal shoes might positively change the course of running injuries**, *J Sport Health Sci* 2017; 6(2): 154-61

Dirichs T, Schrading S, Gatz M, Tingart M, Kuhl C & Quack V, **Shear wave elastography (SWE) of asymptomatic achilles tendon: a comparison between semiprofessional athletes and the nonathletic general population**, *Acad Radiol* 2019; 26(10): 1345-51

Drum S, Rappelt L & Donath L, **Trunk and upper body fatigue adversely affect running economy: a three-armed randomized controlled crossover pilot trial**, *Sports* 2019; 7(8): pii: E195. Doi: 10.3390/sports7080195

Edwards W, Taylor D, Rudolphi T, Gillette J & Derrick T, **Effects of stride length and running mileage on a probabilistic stress fracture model**, Med Sci Sports Exerc 2009; 41(12): 2177-84

Emin K, Owens S, Ford M & Bass M, **Bone mineral density of adolescent female players and nontennis players**, J Osteop 2012; 1: 1-4

Fields K, Sykes J, Walker K & Jackson J, **Prevention of Running Injuries**, Cur Sports Med Rep 2010; 9(3): 176-82

Finnamore E, Waugh C, Solomons L, Ryan M, West C & Scott A, **Transverse tendon stiffness is reduced in people with achilles tendinopathy: a cross-sectional study**, Plos One 2019, 14(2): e0211863

Firminger C, Fung A, Loundagin L & Edwards W, **Effects of footwear and stride length on metatarsal strains and failure in running**, Clin Biomech 2017; 49: 8-15

Firner S, Willwacher S, de Marées M, Bleuel J, Zaucke F, Brüggeman G & Niehoff A, **Effect of increased mechanical knee joint loading during running on the serum concentration of cartilage oligomeric matrix protein (COMP)**, J Orthop Res 2018; 36(7): 1937-46

Fletcher J & MacIntosh B, **Running economy from a muscle energetics perspective**, Front Physiol 2017; 8: 433

Fletcher J & MacIntosh B, **Theoretical considerations for muscle-energy savings during distance running**, J Biomech 2018; 73: 73-9

Fletcher J & McIntosh B, **Changes in achilles tendon stiffness and energy cost following a prolonged run in trained distance runners**, Plos One 2018; 13(8): e0202026

Fong D, Lue K, Chung M, Chu V & Ying P, **An individually moulded insole with 5-mm medial arch support reduces peak impact and loading at the heel after a one-hour treadmill run**, Gait Post 2020; 82: 90-95

Freeman B, 2010

Fukunaga T, Kawakami Y, Kubo K & Kanehisa H, **Muscle and tendon interaction during human movements**, Exerc Sport Sci Rev 2002; 30(3): 106-10

Gobbi C, Salica D, Pepe G, Dotto G, Petenian E & Martinez F, **Vitamin D deficiency and osteoporosis in a rural population of Cordoba province, Argentina**, Rev Fac Cien Med Univ Nac Cordoba 2009; 66(3): 103-12

Goolsby M & Boniquit N, **Bone health in athletes**, Sports Health 2017; 9(2): 108-117

Hamil J & Gruber A, **Is changing footstrike pattern beneficial to runners?**, J Sport Health 2017; 6(2): 146-53

Helsmoortel J, Hirth T & Wüthrl P, **Lehrbuch der viszeralen Osteopathie, peritoneale Organe**, 2002 Thieme Verlag – ISBN 3-13-127221-X

Hespanhol Junior L, Araújo de Carvalho A, Pena Costa L & Lopes A, **Lower limb alignment characteristics are not associated with running injuries in runners: prospective cohort study**, Eur J Sport Sci 2016; 16(8): 1137-44

Hill C, Romero M, Rogers M, Queen R & Brolinson P, **Effect of osteopathic manipulation on gait asymmetry**, Journal of Osteopathic Medicine 2021; 122(2): 85-94

Hollander K, Heidt C, Van Der Zwaard B, Braumann K & Zech A, **Long-term effects of habitual barefoot running and walking: a systematic review**, *Med Sci Sports Exerc* 2017; 49(4): 752-62

Hoogkamer W, Kram R & Arellano C, **How biomechanical improvements in running economy could break the 2-hour marathon barrier**, *Sports Med* 2017; 47(9): 1739-50

Huffer D, Hing W, Newton R & Clair M, **Strenght training for plantar fasciitis and the intrinsic foot musculature: a systematic review**, *Phys Ther Sport* 2017; 24: 44-52

Huijing P, **Epimuscular myofascial force transmission: a historical review and implications for new research. International Society of Biomechanics Muybridge Award Lecture, Taipei, 2007**, *J Biomech* 2009; 42(1): 9-21

Ishikawa M & Komi P, **Muscle fascicle and tendon behavior during human locomotion revisited**, *Exerc Sport Sci Rev* 2008; 36(4): 193-9

Kakouris N, Yener N & Fong D, **A systematic review of running-related musculoskeletal injuries in runners**, *Journal of sport and health science* 2021; 10(5): 513–522

Khan M, O'Donovan J, Charlton J, Roy J-S, Hunt M & Esculier J-F, **The influence of running on lower limb cartilage: a systematic review and meta-analysis**, *Sports Med* 2022; 52(1): 55-74

Kliethermes S, Stiffler-Joachim M, Wille C, Sanfilippo J, Zavala P & Heiderscheit B, **Lower step rate is associated with a higher risk of bone stress injury: a prospective study of collegiate cross country runners**, *Br J Sports Med* 2021; 55(15): 851-56

Knapik J, Orr R, Pope R & Grier T, **Injuries and footwear (Part 2): minimalist running shoes**, *J Spec Oper Med* 2016; 16(1): 89-96

Korr I, **Bases physiologiques de l'ostéopathie**, 1993 Frison-Roche, ISBN 2-87671-145-1

Kosonen J, Kulmala J, Müller E & Avela J, **Effects of medially posted insoles on foot and lower limb mechanics across walking and running in overpronating men**, *J Biomech* 2017; 54: 58-63

Kubo K, Miyazaki D, Yamada K, Yata H, Shimoju S & Tsunoda N, **Passive and active muscle stiffness in plantar flexors of long distance runners**, *J Biomech* 2015; 48(10): 1937-43

Kulmala J, Kosonen J, Nurminen J & Avela J, **Running in highly cushioned shoes increases leg stiffness and amplifies impact loading**, *Sci Rep* 2018; 8(1): 17496

Kumka M & Bonar J, **Fascia: a morphological description and classification system based on a literature review**, *J Can Chiropr Assoc* 2012; 56(3): 179-91

Lang J, Zhang Y, Jin J, Wu P & Chen L, **Analysis on related risk factors of hip fracture patient with sarcopenia**, *Zhongguo Gu Shang* 2018; 31(10): 912-15

Langevin H, Fox J, Koptiuch C, Badger G, Greenan-Naumann A, Bouffard N, Konofagou E, Lee W-N, Triano J & Henry S, **Reduced thoracolumbar fascia shear strain in human chronic low back pain**, *BMC Musculoskelet Disord* 2011; 12: 203

Langley B, Cramp M & Morrison S, **The influence of motion control, neutral, and cushioned running shoes on lower limb kinematics**, *J Appl Biomech* 2019; 35(3): 216-22

Latey P, Burns J, Hiller C & Nightingale E, **Relationship between intrinsic foot muscle weakness and pain: a systematic review**, *J Foot Ankle Res* 2014; 7(Suppl 1): A51

Lewin R, **Complexity: Life at the edge of chaos**, 2001, ISBN-13: 978-0226476551

Lewit K, **Manipulative therapy in rehabilitation of the locomotor system**, 1999 Butterworth-Heinemann 1999, ISBN 07-5062-964-9

Lieberman D, Warrener A, Wang J & Castillo E, **Effects of stride frequency and foot position at landing on braking force, hip torque, impact peak force and the metabolic cost of running in humans**, J Exp Biol 2015; 218: 3406-14

Lorrimer A & Hume P, **Stiffness as a risk factor for achilles tendon injury in running athletes**, Sports Med 2016, 46(12): 1921-38

Lucas-Cuevas A, Pérez-Soriano P, Llana-Belloch S, Macián-Romero C, Sánchez-Zuriaga D, **Effect of custom-made and prefabricated insoles on plantar loading parameters during running with and without fatigue**, J Sports Sci 2014; 32(18): 1712-21

Lunghi C, Tozzi P & Fusco G, **The biomechanical model in manual therapy: Is there an ongoing crisis or just the need to revise the underlying concept and application?**, J Bodyw Mov Ther 2016; 20(4): 784-99

Maas H & Finni T, **Mechanical Coupling Between Muscle-Tendon Units Reduces Peak Stresses**, Exerc Sport Sci Rev 2018; 46(1): 26-33

McKeon P, Hertel J, Bramble D & Davis I, **The foot core system: a new paradigm for understanding intrinsic foot muscle function**, Br J Sports Med 2015; 49(5): 290

Mei Q, Gu Y, Xiang L, Baker J & Fernandez J, **Foot pronation contributes to altered lower extremity loading after long distance running**, Front Physiol 2019; 10: 573

Mercer J, Vance J, Hreljac A & Hamill J, **Relationship between shock attenuation and stride length during running at different velocities**, Eur J Appl Physiol 2002; 87(4-5): 403-8

Mercer J, Devita P, Derrick T & Bates B, **Individual effects of stride length and frequency on shock attenuation during running**, Med Sci Sports 2003; 35(2): 307-13

Milgrom C, Burr D, Finestone A & Voloshin A, **Understanding the etiology of the posteromedial tibial stress fracture**, Bone 2015; 78: 11-4

Miller R, **Joint loading in runners does not initiate knee osteoarthritis**, Exerc Sport Sci Rev 2017; 45(2): 87-95

Mitchell P, Moffit T, Montgomery M & Pamukoff D, **Running kinetics and femoral trochlea cartilage characteristics in recreational and collegiate distance runners**, J Sports Sci 2022; 40(1): 89-95

Molloy J, **Factors influencing running-related musculoskeletal injury risk among U.S. military recruits**, Mil Med 2016; 181(6): 512-23

Moore I, **Is there an economical running technique? A review of modifiable biomechanical factors affecting running economy**, Sports Med 2016, 46(6): 793-807

Moore K, Persaud T & Lütjen-Drecoll E, **Embryologie, Lehrbuch und Atlas der Entwicklungsgeschichte des Menschen**, 1996 Schattauer, ISBN 3-7945-1714-8

Morreira C & Bilezikian J, **Stress fractures: concepts and therapeutics**, J Clin Endocrinol Metab 2017; 102(2): 525-534

- Myers T, **Anatomy trains, Myofascial meridians for manual and movement therapists**, 2009 Elsevier, ISBN 978-0-443-10283-7
- Napier C, MacLean C, Maurer J, Taunton J & Hunt M, **Kinetic risk factors of running-related injuries in female recreational runners**, Scand J Med Sci Sports 2018; 28(10): 2164-72
- Napier C, MacLean C, Maurer J, Taunton J & Hunt M, **Kinematic correlates of kinetic outcomes associated with running-related injury**, J Appl Biomech 2019; 35(2): 123-30
- Nigg B, Baltich J, Hoerzer S & Enders H, **Running shoes and running injuries: mythbusting and a proposal for two new paradigms: 'preferred movement path' and 'comfort filter'**, Br J Sports Med 2015; 49(20): 1290-4
- Nyman J, Roy A, Shen X, Acuna R, Tyler J & Wang X, **The influence of water removal on the strength and toughness of cortical bone**, J Biomech 2006; 39(5): 931-8
- Oschman J, **Energy medicine in therapeutics and human performance**, 2003 Butterworth Heinemann.
- O'Sullivan I, Johnson M, Hind K, Breen S & Francis P, **Are changes in running economy associated with changes in performance in runners? A systematic review and meta-analysis**, J Sports Sci 2019; 37(13): 1521-33
- Pizzuto F, de Oliveira C, Soares T, Rago V, Silva G & Oliveira J, **Relationship between running economy and kinematic parameters in long-distance runners**, J Strength Cond Res 2019; 33(7): 1921-8
- Pischinger A, **The extracellular matrix and ground regulation: Basis for a holistic biological medicine**, 2007, ISBN 10 1556436882
- Pope R, **The common compensatory pattern: its origin and relationship to the postural model**, J Am Ost Assoc 2003
- Purslow P, **Muscle fascia and force transmission**, J Bodyw Mov Ther 2010; 14(4): 411-7
- Quinn T, Dempsey S, LaRoche D, Mackenzie A & Cook S, **Step frequency training improves running economy in well-trained female runners**, J Strength Cond Res 2019; doi: 10.1519/JSC.0000000000003206
- Richter P & Hebgen E, **Points gâchettes et chaînes fonctionnelles musculaires en ostéopathie et en thérapie manuelle**, 2008 Éditions Maloine ISBN 978-2-224-03003-2
- Rogers S, Whatman C, Pearson S & Kilding A, **Assessments of mechanical stiffness and relationships to performance determinants in middle-distance runners**, Int J Sports Physiol Perform 2017; 12(10): 1329-34
- Rousse R, **Die osteopathischen Notfalltechniken**, 2001 Sonntag – ISBN 3-87758-245-1
- Samuel J, Park J, Almer J & Wang X, **Effect of water on nanomechanics of bone is different between tension and compression**, J Mech Behav Biomed Mater 2016 Apr; 57: 128-38
- Scar G, **Biotensegrity, The structural basis of life**, 2014 Handspring Publishers, ISBN 978-1-909141-21-6
- Schleip R, **Fascia in sport and movement**, 2015 Handspring Publishers, ISBN 978-1-909141-07-0

- Schubert A, Kempf J & Heiderscheit B, **Influence of stride frequency and length on running mechanics: a systematic review**, Sports Health 2014; 6(3): 210-7
- Sharkey J, **Update on fascial nomenclature-an additional proposal**, J Bodyw Mov Ther 2019; 23[1]: 6-8
- Schubert A, Kempf J & Heiderscheit B, **Influence of stride frequency and length on running mechanics: a systematic review**, Sports Health 2014; 6(3): 210-7
- Sharkey J, **Update on fascial nomenclature-an additional proposal**, J Bodyw Mov Ther 2019; 23[1]: 6-8
- Sikora-Klak J, Narvy S, Yang J, Makhni E, Kharrazi F & Mehran N, **The effect of abnormal vitamin D levels in athletes**, Perm J 2018; 22: 17-216
- Smith OE, in Webster GV, **Concerning osteopathy in Early American Manual Therapy**, 1919 Version 5.0 op www.meridianinstitute.com
- Stecco L & Stecco C, **Fascial manipulation, practical part**, 2009 Piccin, ISBN 978-88-299-1978-9
- Stecco L & Stecco C, **Fascial manipulation for Internal Dysfunctions**, 2014 Piccin, ISBN 978-88-299-2328-1
- Still AT, **Osteopathy, research and practice**, 1910 Kirksville MO
- Strzemsky S, **Alles im Lot?** Deutsche Heilpraktiker Zeitschrift 2018; 13(07): 32–35
- Sun X, Lam W-K, Zhang X, Wang J & Fu W, **Systematic review of the rol of footwear constructions in running biomechanics: Implications for running-related injury and performance**, J Sports Sci Med 2020; 19(1): 20-37
- Tallroth K, Ristolainen L & Manninen M, **Is a long leg a risk for hip or knee osteoarthritis?**, Acta Orthop 2017; 88(5): 512-15
- Tenforde A, Carlson J, Chang A, Sainani K, Shultz R, Kim J, Cutti P, Golden N & Fredericson M, **Association of the female athlete triad risk assessment stratification to the development of bone stress injuries in collegiate athletes**, Am J Sports Med 2017; 45(2): 302-310
- Tenforde A, Parziale A, Popp K & Ackerman K, **Low bone mineral density in male athletes is associated with bone stress injuries at anatomic sites with greater trabecular composition**, Am J Sports Med 2018; 46(1): 30-36
- Thompson M, Gutmann A, Seegmiller J & McGowan C, **The effect of stride length on the dynamics of barefoot and shod running**, J Biomech 2014; 47(11): 2745-50
- Timgren J & Soinila S, **Reversible pelvic asymmetry: an overlooked syndrome manifesting as scoliosis, apparent leg-length difference, and neurologic symptoms**, J Manipulative Physiol Ther 2006; 29(7): 561-5
- Tozzi P, **Selected fascial aspects of osteopathic practice**, J Bodyw Mov Ther 2012; 16(4): 503-19
- Tozzi P, Bongiorno D & Vitturini C, **Fascial release effects on patients with non-specific cervical or lumbar pain**, J Bodyw Mov Ther 2011; 15(4): 405-16
- Vajapey S, Matic G, Hartz C & Miller TL, **Sacral stress fractures: a rare but curable cause of back pain in athletes**, Sports Health 2019; 11(5): 446-452

- van Boxtel L, **Toepassing van embryologische principes in de osteopathische praktijk**, 2021  
Afstudeeropdracht bij Nederlands Academisch College voor Osteopathie
- van den Berg M, **Een verklaringsmodel voor de werking van inhibitietesten**, 2021  
Afstudeeropdracht bij Nederlands Academisch College voor Osteopathie
- Van den Hooff A, **De schok der biologie. Essays over de plaats van de moderne biologie in ons mensbeeld**, 1995 Sun Nijmegen, ISBN 90-6168-446-3
- Van der Wal J, **De humani corporis fabrica – Fascia as the fabric of the body**, Further elaboration of a text for *Fascia, function and medical applications*, Lesondak D, CRC Press 2020
- Verland S, Duc S, Ferrari F-J & Joly P, **Immediate, short and medium-term effects of orthopaedic insoles with a metatarsal retro-capital bar on biomechanical variables, plantar pressures and muscle activity in running**, J Sports Med Phys Fitness 2020; 60(6): 848-54
- Vesentini S, Redaelli A & Gautieri A, **Nanomechanics of collagen microfibrils**, Muscles Ligaments Tendons J 2013; 3(1): 23-34
- Videbaek S, Bueno A, Nielsen R & Rasmussen S, **Incidence of Running-Related Injuries Per 1000 h of running in Different Types of Runners: A Systematic Review and Meta-Analysis**, Sports Med 2015; 45(7): 1017-26
- Vleeming A, Pool-Goudzwaard A, Stoeckart R, van Wingerden J & Snijders C, **The posterior layer of the thoracolumbar fascia. Its function in load transfer from spine to legs**, Spine 1995; 20(7): 753-8
- of methods and future clinical recommendations**, Sports Med Open 2017; 3(1): 33
- Warne J & Gruber A, **Transitioning to minimal footwear: a systematic review of methods and future clinical recommendations**, Sports Med Open 2017; 15(3:1): 33
- Wen D, Puffer J & Schmalzried T, **Lower extremity alignment and risk of overuse injuries in runners**, Med Sci Sports Exerc 1997; 29(10): 1291-8
- Wen D, Puffer J & Schmalzried T, **Injuries in runners: a prospective study of alignment**, Clin J Sport Med 1998; 8(3): 187-94
- Werkhausen A, Cronin N, Albracht K, Paulsen G, Larsen A, Bojsen-Møller J & Seynnes O, **Training-induced increase in Achilles tendon stiffness affects tendon strain pattern during running**, Peer J 2019; 7: e6764
- Willard F, Vleeming A, Schuenke M, Danneels L & Schleip R, **The thoracolumbar fascia: anatomy, function and clinical considerations**, J Anat 2012; 221(6): 507-36
- Wright A, Taylor J, Ford K, Siska L & Smoliga J, **Risk factors associated with lower extremity stress fractures in runners: a systematic review with meta-analysis**, Br J Sports Med 2015; 49(23): 1517-23
- Xu C, Silder A, Zhang J, Reifman J & Unnikrishnan G, **A cross-sectional study of the effects of load carriage on running characteristics and tibial mechanical stress: implications for stress-fracture injuries in women**, BMC Musculoskelet Disord 2017 Mar; 18(1): 125
- Zago J, Amatuzzi F, Rondinel T & Matheus J, **Osteopathic manipulative treatment versus exercise program in runners with patellofemoral pain syndrome: a randomized controlled trial**, Journal of sport rehabilitation 2020; 30(4): 609–618



Zhang M, Zhou X, Zhang L, Liu H & Yu B, **The effect of heel-to-toe dropp of running shoes on patellofemoral joint stress during running**, Gait Posture 2022; 93: 230-4

Zhang X, Pael R, Deschamps K, Jonkers I & Vanwanseele B, **Differences in foot muscle morphology and foot kinematics between symptomatic and asymptomatic pronated feet**, Scan J Med Sci Sports 2019; 29(11): 1766-73

Zilliaskoudis C, Park S & Lee S, **Running economy – a comprehensive review for passive force generation**, J Exerc Rehabil 2019; 15(5): 640-46